PATONS

180 PRICE CODE G

BABY SCENE

Knitting and Crochet for Tinies and Toddlers – 15 designs

PATONS

BABY SCENE

CONTENTS

Hooded cape	3
Dress, jacket, bonnet and bootees	6
V and round neck cardigans	9
Knitted christening dress	12
Crochet christening dress	15
Boy's cardigan, pull-ups and helmet	18
Crochet angel top and bonnet	20
Knitted pram cover	24
Crochet pram cover	24
Raglan angel top	26
Jumper, pilch and knee socks	29
Matinee coat and bootees	31
Crochet dress	32
Knitted angel top	35
Baby's tank top	37

In this little world of pretty things to crochet and to knit, you will find just what baby needs to be comfortably and charmingly dressed.

A sweet hooded cape, smart pramsets, beguiling little angel tops, a beautiful Christening dress for sweet solemnity, a tank top for fashion fun—these are just a few among a full collection of fascinating and very varied first-size designs. Most of them are quick to work, many of them can be accomplished by beginners . . . and think how rewarded you will feel when compliments come your way for baby's elegant wardrobe!

Besides clothes there are two really handsome pram covers, one to crochet and one to knit. Warm and bright, soft and light, one or each in turn will provide yet another reason for drawing admirers to baby's pram.

PLEASE READ THIS FIRST

Use the recommended yarn – it makes sense. When you buy your yarn, it is best to buy the full amount at one time to avoid variations in dyelots.

How to check Knitting Tension

Before you knit these designs check your tension carefully.

Take a pair of No. 10 needles and some Patons 4 ply, cast on 14 sts. and work in stocking stitch—1 row knit; 1 row purl—for 18 rows. Cast off; press lightly on wrong side.

The tension should be 14 sts. and 18 rows over 2 in. and the finished square should measure 2 in. each way.

If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size larger needle.

If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet.

If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

How to check Crochet Tension

Before starting garment, work a test piece of pattern to check your tension and adjust hook as required: use a size finer hook if fabric is too loose, or a size thicker hook if it is too tight.

Knitting Abbreviations

K.=knit; P.=purl; st.=stitch; sl.=slip; sl.1 P.=slip 1 purlways; y.fwd.=yarn forward; y.r.n.=yarn round needle; y.b.=yarn back—take yarn to back of work; y.ft.=yarn front—bring yarn to front of work.

inc.=increase by working into front and back of st.; dec.=decrease by working 2 sts. together; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; in.=inches; mm=millimetres; M.S.=Main Shade; C=Contrast; 1st C.=1st Contrast; 2nd C=2nd Contrast; 0=no stitches; M.1=Make 1 st. by picking up horizontal loop lying before next st. and knitting into back of it.

C.4=Cable 4 by slipping next 2 sts. on cable pin and leave at back of work, K.2, then K.2 from cable pin; Cr.1F.=Cross 1 front by slipping next st. on cable pin and leave at front of work, K.2, then K.1 from cable pin. Cr.2B.=Cross 2 back by slipping next 2 sts. on to cable pin and leave at back of work, K.1, then K.2 from cable pin.

Tw.2B.=Twist 2 back by knitting into back of 2nd st., then front of first st. on left-hand needle and slipping 2 sts off needle together; Tw.2F.=Twist 2 front by knitting into front of 2nd st., then front of first st. on left-hand needle and slipping 2 sts. off needle together.

Crochet Abbreviations

Ch.=chain; d.c.=double crochet; h.tr.=half treble; tr.=treble; d.tr.=double treble; tr.tr.=triple treble; y.r.h.=yarn round hook; sp.=space; s.s.=slip stitch; dec.=decrease; inc.=increase; y.o.h.=yarn on hook.

dec.1=decrease 1 thus:—y.r.h., insert hook into next st., draw loop through, now insert hook into following st., draw loop through, y.r.h., and draw through last 2 loops on hook; dec. 2=decrease 2 thus:— (y.o.h., draw loop through next st., draw loop through first 2 loops on hook) 3 times, draw loop through 4 loops on hook, thus making 1 st. out of 3.

Cl.=Cluster, worked as follows:—(y.r.h., draw loop through next st. or sp., draw loop through 2 loops on hook) 3 times, using same st. or sp. each time, draw loop through all loops on hook.

½ Cl.=half cluster, work as follows:—(y.r.h., draw loop through next st., draw loop through 2 loops on hook) twice using same st. both times, draw loop through all loops on hook.

D.=Dark; M.=Medium; L.=Light.

Sizes

The figures in square brackets [ ] refer to the larger sizes.

These garments have been specially designed for the sizes given and it is regretted that no adaptations are available.

Needle sizes quoted throughout this booklet are UK: equivalent Metric sizes are Nos. 2¼ mm for 13, 2¾ mm for 12, 3 mm for 11, 3¼ mm for 10, 3¾ mm for 9, 4 mm for 8 and 5½ mm for 5.

Warmly, sweetly wrapped

a lacy hooded cape to crochet in an unusual cross-stitch pattern

To fit chest	in.	18–19
Length from neck edge (approx.)	in.	18
Width round front edge of hood	in.	14
Patons Fairytale Quickerknit Courtelle/Bri-Nylon × 20 gram balls		12

No. 3·50 mm (9) and No. 4·50 mm (7) MILWARD crochet hook. 4 small buttons. Length of ribbon.

Tension
22½ trebles and 11½ rows to 4 in. on No. 3·50 hook.

Special Abbreviations
Long tr.=long treble worked as a tr. but drawing up loop to almost an inch in height before completing tr.

Cr.l.tr.=miss 2 sts., 1 long tr. in each of the next 2 sts., now work 1 long tr. into first of the 2 missed sts., then 1 long tr. in to 2nd of the 2 missed sts., thus enclosing the 2 tr. just worked.

Notes, Tension and Abbreviations, page 2.

MAIN PART
Starting at neck edge, with No. 3·50 hook, make 52 ch. loosely.

Foundation row—1 tr. in 4th ch. from hook, then 1 tr. in each ch. to end (50 sts.).

1st row—3 ch., miss first st., 1 tr. in next st., (inc. in each of the next 2 sts., 1 tr. in next st.) 20 times (82 sts.).

2nd row—3 ch., miss first st., 1 tr. in each st. to end.

3rd row—3 ch., miss first st., 1 tr. in next st., (inc. in next st., 1 tr. in each of the next 3 sts.) 20 times (102 sts.).

4th row—As 2nd row.
5th row—3 ch., miss first st., 1 tr. in each of next 2 sts., (inc. in next st., 1 tr. in each of next 4 sts.) 19 times, inc. in next st., 1 tr. in each of next 3 sts. (122 sts.).
6th row—As 2nd row.
7th row—3 ch., miss first st., 1 tr. in each of next 2 sts., (inc. in next st.,

1 tr. in each of next 5 sts.) 19 times, inc. in next st., 1 tr. in each of next 4 sts. (142 sts.).

8th row—As 2nd row.

9th row—3 ch., miss first st., 1 tr. in each of next 3 sts., (inc. in next st., 1 tr. in each of next 6 sts.) 19 times, inc. in next st., 1 tr. in each of next 4 sts. (162 sts.).

10th row—As 2nd row.

11th row—3 ch., miss first st., 1 tr. in each of next 4 sts., (inc. in next st., 1 tr. in each of next 7 sts.) 19 times, inc. in next st., 1 tr. in each of next 4 sts. (182 sts.).

** **Change to No. 4·50 hook** and **lace patt.** as follows :—

Note: In order to obtain correct measurement, loops must be drawn up as stated for long tr. in abbreviations.

1st row—(Right side), 3 ch., miss 2 sts., * 4 tr. in next st., miss 3 sts., rep. from * to last 4 sts., 4 tr. in next st., miss 2 sts., 1 tr. in turning ch.

2nd row—4 ch., miss first st., * Cr.l.tr., rep. from * to last st., 1 d.tr. in last st. **

Mark the 12th group of Cr.l.tr. from each end of row with a coloured thread.

***3rd row**—3 ch., * 4 tr. in sp. at centre of Cr.l.tr. *, rep. from * to * until one group before marked Cr.l.tr. is reached, ** 8 tr. into sp. at centre of Cr.l.tr., 4 tr. into sp. at centre of marked Cr.l.tr., 8 tr. into sp. at centre of next Cr.l.tr. **, rep. from * to * until one group before marked Cr.l.tr. is reached, work from ** to **, then rep. from * to * to end, 1 tr. in turning ch.

4th row—As 2nd row.

5th row—3 ch., now work 4 tr. in centre of each group of Cr.l.tr. to end, 1 tr. in turning ch.

6th row—As 2nd row.

7th row—As 5th row.

8th row—As 2nd row.

Rep. 3rd to 8th row 3 times more.

Now rep. 5th and 6th rows **only** until work measures approx. 14 in. from start of lace patt. Fasten off.

HOOD

With No. 3·50 hook, make 33 ch. loosely.

Foundation row—1 tr. in 4th ch. from hook, then 1 tr. in each ch. to end (31 sts.).

Next row—(Right side), 3 ch., miss first st., 1 tr. in each st. to end.

Continue in tr. inc. 1 st. at end of next and every following alternate row until there are 37 sts.

Continue straight until work measures approx. 9½ in., ending at shaped edge.

Next row—3 ch., miss first st., dec. 1, work to end.

Next row—Work all across.

Rep. the last 2 rows 5 times more.

Work 1 row straight. Fasten off.

HOOD EDGING

With No. 4·50 hook, make 72 ch. loosely.

Foundation row—1 tr. into 4th ch. from hook, then 1 tr. in each ch. to end (70 sts.).

1st row—As 1st row of lace patt.

2nd row—As 2nd row of lace patt.

3rd row—3 ch., now work 4 tr. into centre of each group of Cr.l.tr. to end, 1 tr. in turning ch.

Rep. last 2 rows once more. Fasten off.

FRONT BORDERS

1st Border

With No. 3·50 hook and right side facing for first row, work 3 rows d.c. along front edge, working 4 buttonholes on 2nd row on right side for girl and left side for boy.

First mark position of buttons on button side and work buttonholes to correspond as follows :—

Girl:—First buttonhole to be ½ in. down from neck, the last one level with last row of tr. on yoke and remaining two spaced evenly.

Boy:—First buttonhole to be level with last row of tr. on yoke, the last one ½ in. down from neck and remaining two spaced evenly.

To make a buttonhole:—2 ch., miss 2 d.c.

2nd Border

Work to match 1st Border, omitting buttonholes.

TO MAKE UP

Fold Hood in half and join shaped edges.

Leaving Front Borders free on Main Part, stitch Hood to neck edge of Main Part, sewing Hood in as necessary.

Stitch foundation row of Hood Edging to front edge of Hood, turn back and stitch down side edges.

Press very lightly following instructions on the ball band.
Sew on buttons.

Cut ribbon in half and sew one end of each half to front neck edges and tie in a bow.

For a little princess

head-to-toe prettiness for a matchmate bonnet, dress, jacket and bootees

COAT		
To fit chest	in.	18
Length	in.	9½
Sleeve seam	in.	5
Patons Fairytale 3 ply Courtelle/Bri-Nylon	×20 gram balls	3
DRESS		
To fit chest	in.	18
Length	in.	13½
Sleeve seam	in.	1½
Patons Fairytale 3 ply Courtelle/Bri-Nylon	×20 gram balls	4
BOOTEES		
Patons Fairytale 3 ply Courtelle/Bri-Nylon	×20 gram ball	1
BONNET		
Patons Fairytale 3 ply Courtelle/Bri-Nylon	×20 gram ball	1
FOR THE SET		
Patons Fairytale 3 ply Courtelle/Bri-Nylon	×20 gram balls	8

Two No. 11 and a spare No. 11 MILWARD needles. 3 buttons each for Coat and Dress. Length of ribbon for Bonnet.

Tension
16 sts. and 20 rows to 2 in. measured over stocking stitch on No. 11 needles.

Notes, Tension and Abbreviations, page 2.

COAT

SLEEVES

Cast on 31 sts.

1st and 2nd rows—P.

3rd row—K.1, * y.fwd., K.2 tog., rep. from * to end.

4th to 6th row—P.

7th row—K.

8th row—K.1, P. to last st., K.1.

9th row—K.

10th row—* K.1, keeping yarn at back of needle, sl.1 P., rep. from * to last st., K.1.

11th and 12th rows—As 7th and 8th.

13th row—* P.1, keeping yarn at front of needle sl.1 P., rep. from * to last st., P.1.

14th row—As 8th row.

15th and 16th row—As 7th and 8th.

17th to 22nd row—As 1st to 6th.

23rd row—K.2, (inc. in next st., K.1) 14 times, K.1 (45 sts.).

24th row—K.1, P. to last st., K.1.

Knitting st. at each end of every row, work in stocking stitch inc. 1 st. at each end of next, then every following 4th row until there are 59 sts.

Continue on these sts. until sleeve seam measures 5 in., ending with a P. row.

Shape raglan by casting off 2 sts. at beg. of next 2 rows.

1st row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last st., K.1.

Rep. the last 2 rows 4 times more, then 1st row again.

Slip remaining 43 sts. on to a length of yarn and leave.

BACK AND FRONTS

(Knitted in one piece up to division for armholes.)

Cast on 191 sts.

1st row—K.5, P. to last 5 sts., K.5.

2nd row—As 1st row.

3rd row—K.6, * y.fwd., K.2 tog., rep. from * to last 5 sts., K.5.

4th to 6th row—As 1st row.

7th row—K.

8th row—As 1st row.

9th row—K.8, * K.2 tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.5, rep. from * to last 3 sts., K.3.

10th and every alt. row—As 1st row.

11th row—K.7, * K.2 tog., y.fwd., K.3, y.fwd., sl.1, K.1, p.s.s.o., K.3, rep. from * to last 4 sts., K.4.

13th row—K.6, * K.2 tog., y.fwd., K.5, y.fwd., sl.1, K.1, p.s.s.o., K.1, rep. from * to last 5 sts., K.5.

15th row—K.8, * y.fwd., sl.1, K.1, p.s.s.o., K.1, K.2 tog., y.fwd., K.5, rep. from * to last 3 sts., K.3.

17th row—K.9, * y.fwd., sl.1, K.2 tog., p.s.s.o., y.fwd., K.7, rep. from * to last 2 sts., K.2.

18th row—As 1st row.

19th to 26th row—As 11th to 18th.

27th row—K.10, (K.2 tog., K.8) 17 times, K.2 tog., K. to end (173 sts.).

28th row—As 1st row.

29th to 36th row—As 1st to 8th.

Rep. 7th and 8th rows until work measures 5 in., ending with an 8th row.

Next row—K.18, (K.2 tog., K.7) 15 times, K.2 tog., K. to end (157 sts.).

Divide for Back and Fronts as follows:—

Next row—K.5, P.34, cast off 4 sts., P. to last 43 sts., cast off 4 sts., P. to last 5 sts., K.5.

Work on first group of 39 sts. for Right Front as follows:—

1st row—K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last 5 sts., K.5.

Rep. 1st and 2nd rows 4 times (34 sts.).

Next row—K.6, (K.2 tog., K.3) 5 times, K.2 tog., K.1.

Slip remaining 28 sts. on to a length of yarn and leave.

With right side facing, rejoin yarn to 71 sts. for Back and work as follows:—

Rep. 1st and 2nd rows of raglan shaping as on Sleeves 5 times (61 sts.).

Next row—K.1, K.2 tog. t.b.l., K.5, (K.2 tog., K.4) 8 times, K.2, K.2 tog., K.1 (51 sts.).

Slip sts. on to a length of yarn and leave.

With right side facing, rejoin yarn to remaining sts. for Left Front as follows:—

1st row—K.1, K.2 tog.t.b.l., K. to end.

2nd row—K.5, P. to last st., K.1.

Rep. the last 2 rows 4 times (34 sts.).

Next row—K.1, K.2 tog.t.b.l., (K.3, K.2 tog.) 5 times, K.6 (28 sts.).

Next row—K.5, P. to end, with **wrong** side facing, P. across sts. of first Sleeve, Back, second Sleeve, then sts. of Right Front to last 5 sts., K.5 (193 sts.).

Work yoke as follows:—

1st and 2nd rows—K.5, P. to last 5 sts., K.5.

3rd row—(Buttonhole row), K.1, K.2 tog., y.fwd., K.3, * y.fwd., K.2 tog., rep. from * to last 5 sts., K.5.

4th to 6th row—As 1st row.

7th row—K.8, (K.2 tog., K.5) 26 times, K.3 (167 sts.).

8th row—As 1st row.

9th row—K.

10th row—K.6, * keeping yarn at back of needle, sl.1 P., K.1, rep. from * to last 5 sts., K.5.

11th row—K.

12th row—As 1st row.

13th row—K.5, * P.1, keeping yarn at front of needle, sl.1 P., rep. from * to last 6 sts., P.1, K.5.

14th row—As 1st row.

15th row—K.7, (K.2 tog., K.4) 26 times, K.4 (141 sts.).

16th row—As 1st row.

17th to 22nd row—As 1st to 6th.

23rd row—K.7, (K.2 tog., K.3) 26 times, K.4 (115 sts.).

24th to 30th row—As 8th to 14th.

31st row—K.6, (K.2 tog., K.2) 26 times, K.5 (89 sts.).

32nd row—As 1st row.

33rd to 36th row—As 1st to 4th.

37th row—K.5, P.1, (P.2 tog., P.1) 26 times, K.5 (63 sts.).

38th row—P. **39th row**—K. **40th row**—P. **41st row**—(picot row), K.1, * y.fwd., K.2 tog., rep. from * to end.

42nd and 43rd rows—As 38th and 39th. Cast off.

TO MAKE UP

With wrong side of work facing, block by pinning out round edges, and omitting yoke, press lightly following instructions on the ball band. Using a flat seam, join sleeve seams and raglan shapings. Fold work at row of holes at neck to wrong side and flat stitch to form picot hem. Sew on buttons.

DRESS

FRONT

Cast on 121 sts.

1st to 8th row—As on cuff of Sleeve of Coat.

9th row—* K.3, K.2 tog., y.fwd., K.1, y.fwd., sl.1, K.1, p.s.s.o., K.2, rep. from * to last st., K.1.

10th and every alt. row—K.1, P. to last st., K.1.

11th row—* K.2, K.2 tog., y.fwd., K.3, y.fwd., sl.1, K.1, p.s.s.o., K.1, rep. from * to last st., K.1.

13th row—* K.1, K.2 tog., y.fwd., K.5, y.fwd., sl.1, K.1, p.s.s.o., rep. from * to last st., K.1.

15th row—* K.3, y.fwd., sl.1, K.1, p.s.s.o., K.1, K.2 tog., y.fwd., K.2, rep. from * to last st., K.1.

17th row—* K.4, y.fwd., sl.1, K.2 tog., p.s.s.o., y.fwd., K.3, rep. from * to last st., K.1.

18th row—As 10th row.

19th to 34th row—Rep. 11th to 18th row twice more.

35th and 36th rows—As 7th and 8th.

37th to 44th row—As 1st to 8th.

Work in stocking stitch as on last 2 rows dec. 1st. at each end of next and every following 6th row until 107 sts. remain.

Continue on these sts. until Front measures 9½ in., ending with a P. row.

Work first 4 rows of raglan shaping as on Sleeves of Coat.

Rep. the last 2 rows 3 times more (95 sts.).

Next row—K.1, (K.2 tog.) 46 times, K.2 (49 sts.).

Slip sts. on to a length of yarn and leave.

SLEEVES (Both alike)

Cast on 35 sts.

Work 1st to 22nd row as on cuff of Sleeve of Coat. *continued on page 11*

BABY PUSSY WATCHES A GOLDFISH
BABY PUSSY LIKES MILK

Jacket story

a classic little cardigan and a smart miniature golfer

To fit chest	in.	18	20	22
Length	in.	9½	10½	11½
Sleeve seam	in.	5	6	8
Patons Fairytale 4 ply Courtelle/Bri-Nylon				
Button-up	× 20 gram balls	4	4	5
V Neck	× 20 gram balls	4	4	5

Two No. 12 and two No. 10 MILWARD needles. 6 buttons for Button-up and 4 buttons for V Neck.

Tension
14 sts. and 18 rows to 2 in. measured over stocking stitch on No. 10 needles

Notes, Tension and Abbreviations, page 2.

BUTTON-UP VERSION

BACK

With No. 12 needles, cast on 63 [71, 77] sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Work 8 [10, 12] rows more in rib inc. 1 st. at each end of last row (65 [73, 79] sts.).

Change to No. 10 needles and knitting 1 st. at each end of every row throughout, work in stocking stitch until Back measures 5 [5½, 6] in., ending with right side facing for next row.

Shape raglans as follows :—

1st and 2nd rows—Cast off 3 [4, 4] sts., work to end.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

Rep. the last 2 rows until 21 [23, 25] sts. remain.

Work 1 row. Cast off firmly.

RIGHT FRONT

With No. 12 needles, cast on 31 [35, 39] sts.

Work 10 [12, 14] rows in rib as for Back inc. 1 st. at side edge on last row of **1st and 2nd sizes only** (32 [36, 39] sts.).

Change to No. 10 needles and work in stocking stitch and patt. as follows :—

1st row—* (P.2, Tw.2F., Tw.2B., P.2, K.1) * 3 times, K. to end.

2nd row—K.1, P.4 [8, 11], (K.3, P.4, K.2) 3 times.

3rd row—(P.2, K.4, P.2, K.1) 3 times, K. to end.

4th row—As 2nd row.

5th row—(P.2, Tw.2B., Tw.2F., P.2, K.1) 3 times, K. to end.

6th row—As 2nd row.

These 6 rows form patt.

Continue in stocking stitch and patt. until Front matches Back at side edge, ending with **wrong** side facing for next row.

Keeping continuity of patt., **shape raglan** as follows :—

1st row—Cast off 3 [4, 4] sts., work to end.

2nd row—Work to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P.1, work to end.

Rep. 2nd and 3rd rows until 16 [17, 19] sts. remain, ending with right side facing for next row.

Shape neck

Still dec. at raglan edge as before, cast off 4 [5, 5] sts. at beg. of next row, then dec. 1 st. at neck edge on following 4 [4, 5] rows.

Continue dec. at raglan edge **only** until 3 sts. remain.

Work 1 row.

Next row—K.2 tog., K.1.

Next row—K.1, P.1.

K.2 tog. and fasten off.

LEFT FRONT

Work to correspond with Right Front, reversing shapings, **noting** that **tog.t.b.l.** will be worked in place of tog. at raglan shaping and 6 rows of patt. will read as follows :—

1st row—K.5 [9, 12], (K.1, P.2, Tw.2F., Tw.2B., P.2) 3 times.

2nd row—(K.2, P.4, K.3) 3 times, P. to last st., K.1.

3rd row—K.5 [9, 12], (K.1, P.2, K.4, P.2) 3 times.

4th row—As 2nd row.

5th row—K.5 [9, 12], (K.1, P.2, Tw.2B., Tw.2F., P.2) 3 times.

6th row—As 2nd row.

SLEEVES

With No. 12 needles, cast on 37 [39, 41] sts.

Work 9 [11, 13] rows in rib as for Back.

Next row—Rib 2 [1, 2], * inc. in next st., rib 7 [5, 5], rep. from * to last 3 [2, 3] sts., inc. in next st., rib to end (42 [46, 48] sts.).

Change to No. 10 needles and work in stocking stitch with centre panel as follows :—

1st row—K.17 [19, 20], work as 1st row of patt. on Right Front from * to * once, K. to end.

2nd and alt. rows—K.1, P.15 [17, 18], K.3, P.4, K.3, P. to last st., K.1.

Continue in patt. as on Right Front over centre sts. as placed, shaping sides by inc. 1 st. at each end of 7th and every following 6th [6th, 8th] row until there are 50 [56, 60] sts.

Continue on these sts. until sleeve seam measures 5 [6, 8] in., ending with right side facing for next row.

Keeping continuity of patt., **shape raglans** as follows :—

Work 1st to 4th row of raglan shaping as for Back.

Rep. the last 2 rows until 6 sts. remain. Work 1 row. Cast off.

RIGHT FRONT BAND

With No. 12 needles, cast on 7 sts.

1st to 4th row—(K.1, P.1) 3 times, K.1.

5th row—(Buttonhole row), K.1, P.1, K.1, y.fwd., K.2 tog., P.1, K.1.

Continue in moss stitch working 19 [21, 23] rows between each buttonhole until 5 buttonholes **in all** have been worked.

Work a further 16 [18, 20] rows.

Sew Band into position as you go along using a flat seam.

Slip sts. on to a safety-pin.

LEFT FRONT BAND

Omitting buttonholes, work to match Right Front Band.

MAKE UP AND NECKBAND

With wrong side of work facing, block each piece by pinning out round edges, and omitting ribbing, press lightly, following instructions on the ball band.

Using a flat seam, join raglan, side and sleeve seams.

With right side facing, slip sts. of Right Front Band on to a No. 12 needle, using same needle, **knit up** 63 [69, 75] sts. round neck, then work in moss stitch across sts. of Left Front Band (77 [83, 89] sts.).

Next row—Moss stitch 7, * P.1, K.1, rep. from * to last 8 sts., P.1, moss stitch 7.

Next row—Moss stitch 7, * K.1, P.1, rep. from * to last 8 sts., K.1, moss stitch 7.

Rep. these 2 rows twice more, working a buttonhole as before on the 2nd of these rows.

Cast off in moss stitch and rib. Press seams. Sew on buttons.

V NECK VERSION
BACK AND SLEEVES

Work as for Button-Up Version.

RIGHT FRONT

Work as for Right Front of Button-Up until Front matches Back at side edge, ending with **wrong** side facing for next row.

** Keeping continuity of patt., **shape raglan and front slope** as follows :—

1st row—Cast off 3 [4, 4] sts., work to end.

2nd row—Work to last 3 sts., K.2 tog., K.1.

3rd row—K.1, P.1, work to end.

Now dec. 1 st. at raglan edge as before on every alt. row, **at the same time** dec. 1 st. at front edge on next and every following 4th row until 5 sts. remain.

Continue dec. at raglan edge **only** until 3 sts. remain. Work 1 row.

Next row—K.2 tog., K.1.

Next row—K.1, P.1.

K.2 tog. and fasten off.

LEFT FRONT

Work as for Left Front of Button-Up to start of raglan shaping, ending with right side facing for next row.

Now complete to correspond with Right Front of V Neck Version from ** to end, noting that **tog.t.b.l.** will be worked in place of tog. at raglan shaping.

TO MAKE UP

Block, press and make up, as for Button-Up.

FRONT BAND

Work as for Right Front Band of Button-Up until 4 buttonholes **in all** have been worked.

Continue in moss stitch until Band measures 22½ [24½, 26½] in. from start.

Sew Band in position as you go along using a flat seam, last buttonhole to come level with start of front slope shapings. Cast off.

Press seams. Sew on buttons.

Baby Set

continued from page 7

Next row—K.2, * (inc. in next st.) 5 times, K.1, rep. from * to last 3 sts., inc. in next st., K.2 (61 sts.).

Next row—K.1, P to last st., K.1.

Work first 4 rows of raglan shaping as on Sleeve of Coat, then rep. the 1st and 2nd rows 3 times (49 sts.).

Next row—K.1, K.2 tog.t.b.l., K.1, (K.2, K.2 tog.) 11 times, K.1 (37 sts.).

Slip sts. on to a length of yarn and leave.

BACK

Work as for Front until 1st row of raglan shaping has been worked (101 sts.).

Divide for back opening as follows :—

Next row—K.1, P.47, cast on 5 sts., for underflap, turn.

Next row—K. to last 3 sts., K.2 tog., K.1.

Next row—K.1, P. to last 5 sts., K.5. Rep. these 2 rows twice (50 sts.).

Next row—K.5, (K.2 tog., K.1) 15 times (35 sts.).

Slip sts. on to a length of yarn and leave.

With **wrong** side facing, rejoin yarn to 53 sts. on needle.

Next row—K.5, P. to last st., K.1.

Next row—K.1, K.2 tog.t.b.l., K. to end.

Rep. the last 2 rows twice, then 1st row again (50 sts.).

Next row—(K.1, K.2 tog.) 15 times, K.5 (35 sts.).

Next row—K.5, P. to end.

With **wrong** side of work facing and using spare needle when necessary, P. across sts. of first Sleeve, Front, second Sleeve, then other half of Back to last 5 sts., K.5 (193 sts.).

Work 1st to 43rd row as on yoke of Coat, **noting** that 3rd row will read "K.6, * y.fwd., K.2 tog., rep. from * to last 5 sts., K.2, y.fwd., K.2 tog., K.1."

Cast off.

TO MAKE UP

As for Coat, but using a flat seam, join side seams.

BONNET

Cast on 81 sts.

Work 1st to 36th row as at start of Back and Fronts of Coat, omitting dec. on 27th row.

Rep. 7th and 8th rows until work measures 5 in., ending with an 8th row.

Shape crown as follows :—

1st row—(K.8, K.2 tog.) 8 times, K.1.

2nd and every alt. row—K.

3rd row—(K.7, K.2 tog.) 8 times, K.1.

5th row—(K.6, K.2 tog.) 8 times, K.1.

Continue dec. in this way until 9 sts. remain.

Thread yarn through remaining sts. and fasten off securely.

TO MAKE UP

Press lightly following instructions on the ball band.

Using a flat seam, join crown and a further 1 in. Cut ribbon in half and stitch a length to each side of Bonnet.

BOOTEES (2)

Cast on 37 sts.

Work 1st to 22nd row as on cuff of Sleeve of Coat.

Starting with a K. row and knitting st. at each end of every row, work 14 rows in stocking stitch.

Next row—K.1, * (y.fwd., K.2 tog., K.1) twice, y.fwd., K.2, rep. from * to last 4 sts., y.fwd., K.2 tog., K.1, y.fwd., K.1 (42 sts.).

Next row—K.1, P. to last st., K.1.

Next row—K.28, turn.

Next row—K.1, P.12, K.1, turn.

Work 14 rows in stocking stitch on these 14 sts. Break yarn.

Rejoin yarn to inside edge where sts. were left and **knit up** 14 sts. along side of foot, K. across 14 sts. on needle, **knit up** 14 sts. along other side of foot, K. to end (70 sts.).
K. 13 rows.

Shape foot as follows :—

Next row—(K.1, K.2 tog., K.29, K.2 tog., K.1) twice.

Next row—K.

Next row—(K.1, K.2 tog., K.27, K.2 tog., K.1) twice.

Next row—K.

Next row—(K.1, K.2 tog., K.25, K.2 tog., K.1) twice.

Cast off.

TO MAKE UP

Press lightly following instructions on the ball band. Join seams. Make a twisted cord and thread through holes at ankles. Sew a tassel to each end of cord.

All eyes on baby

a short and longer version of a beautiful christening dress for this sweet and solemn occasion

To fit chest	in.	18
Length (approx.)		
Long Version	in.	21½
Short Version	in.	14
Sleeve seam	in.	5½
Patons Fairytale 4 ply Courtelle/Bri-Nylon		
Long Version	× 20 gram balls	12
Short Version	× 20 gram balls	9

Two No. 12 and two No. 10 MILWARD needles. 4 small buttons.

Length of ribbon.

Tension
14 sts. and 18 rows to 2 in. measured over stocking stitch on No. 10 needles.

Special Abbreviation

Knot 3=P.3 tog. leaving sts. on needle, y.r.n., then P. same 3 sts. tog. again.

Notes, Tension and Abbreviations, page 2.

LONG VERSION

FRONT AND BACKS

(Worked in one piece to armhole division.)

With No. 12 needles, cast on 285 sts. and work 6 rows garter stitch (every row K.).

Change to No. 10 needles and **patt.** as follows:—

1st row—(**Wrong** side), P.

2nd row—K.

3rd row—P.

4th row—K.5, * Knot 3, K.5, rep. from * to end.

5th, 6th and 7th rows—As 1st, 2nd and 3rd.

8th row—K.1, * Knot 3, K.5, rep. from * to last 4 sts., Knot 3, K.1.

These 8 rows form patt.

Continue straight in patt. until work measures approx. 17 in., ending with a 2nd patt. row.

Keeping continuity of patt., **divide for Front and Backs** as follows:—

Next row—Patt. 72, turn, leaving remaining sts. on a spare needle.

Keeping continuity of patt., continue on these 72 sts. for **Right Back** working 15 more patt. rows.

Next row—K.1, (K.3 tog.) 19 times, (K.2 tog.) 7 times (27 sts.).

Break yarn and slip sts. on to a length of yarn.

With **wrong** side facing, rejoin yarn to remaining sts., patt. 141, turn and leave remaining sts. on a spare needle.

Continue on these 141 sts. for **Front**, and work 15 more patt. rows.

Next row—(K.2 tog.) 7 times, (K.3 tog.) 37 times, (K.2 tog.) 8 times (52 sts.).
Break yarn and slip sts. on a spare needle.

With **wrong** side facing for next row, rejoin yarn to remaining 72 sts. for **Left Back,** and complete to correspond with Right Back, reversing the dec. row.

SLEEVES
With No. 12 needles, cast on 39 sts. and work 5 rows garter stitch.
Next row—K.2, * y.fwd., K.2 tog., K.1, rep. from * to last st., K.1.

Next row—K.

Next row—* K.1, M.1, rep. from * to last st., K.1 (77 sts.).

Change to No. 10 needles and work the 8 patt. rows 5 times **in all.**

Now work 1st and 2nd patt. rows once more, placing markers at each end of last row.

Work 16 more patt. rows.

Next row—(K.2 tog.) 16 times, (K.3 tog.) 5 times, (K.2 tog.) 15 times (36 sts.).

Break yarn.

Slip sts. on a spare needle.

YOKE

With right side facing and No. 10 needles, slip sts. on left-hand needle as follows:— first 27 sts. on Right Back, then 36 sts. of 1st Sleeve, 52 sts. of Front, 36 sts. of 2nd Sleeve and finally 27 sts. of Left Back (178 sts.).

Next row—K.3, * y.fwd., K.2 tog., K.1, rep. from * to last st., K.1. **Next row**—K.

Shape Yoke as follows:—

1st row—K.1, K.2 tog., * K.2, K.2 tog., rep. from * to last 3 sts., K.1, K.2 tog. (133 sts.). K. 1 row.

3rd row—K.5, (K.2 tog., K.9) 11 times, K.2 tog., K. to end (121 sts.). K. 7 rows.

11th row—K.5, (K.2 tog., K.8) 11 times, K.2 tog., K. to end (109 sts.). K. 7 rows.

19th row—K.4, (K.2 tog., K.7) 11 times, K.2 tog., K. to end (97 sts.). K. 5 rows.

25th row—K.4, (K.2 tog., K.6) 11 times, K.2 tog., K. to end (85 sts.). K. 3 rows.

29th row—K.3, (K.2 tog., K.5) 11 times, K.2 tog., K. to end (73 sts.). K. 3 rows.

33rd row—K.3, (K.2 tog., K.4) 11 times, K.2 tog., K. to end (61 sts.). K. 2 rows. Cast off knitways.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges and press lightly following instructions on the ball band.

Using a fine back-stitch seam, join sleeve seams to marked points, then join remainder to main part.

Join back seam from lower edge to 1 in. below start of Yoke.

BACK BORDER

With right side facing and No. 10 needles, **knit up** 24 sts. down right back edge from neck to start of back seam, then **knit up** 24 sts. up left back to neck (48 sts.).
K. 1 row.

Next row—K.1, (y.fwd., K.2 tog., K.4) 3 times, y.fwd., K.2 tog., K. to end.

Cast off knitways. Press seams. Sew on buttons. Thread ribbon through Yoke and cuffs.

SHORT VERSION

Work as Long Version, **noting** that length of skirt from lower edge to division for Front and Backs is 9 in.

For the great day

crochet this delicious lacy christening gown for that most memorable event

To fit chest	in.	18
Length from top of shoulders	in.	20
Sleeve seam	in.	1½
Patons Baby 2 ply Pure Wool	×25 gram balls	6

No. 2·50 mm (12) MILWARD crochet hook. 3 buttons.

Length of ribbon.

Tension
15 sts. and 7 rows to 2 in. measured over trebles.

Special Abbreviation
Shell=5 tr. in same stitch.

Notes, Tension and Abbreviations, page 2.

Note
Starting ch. counts as first st. and the first st. is missed on every row unless otherwise stated.

YOKE

BACK

** Make 71 ch., turn.

1st row—(**Wrong** side), 1 tr. in 4th ch. from hook, 1 tr. in each remaining ch. to end (69 sts.).

2nd row—3 ch., miss first st., 1 tr. in each remaining st., 1 tr. in top of 3 ch.

Rep. last row once more.

Shape armholes as follows:—

1st row—S.s. over 2 sts., 3 ch., 1 tr. in each st. to last 2 sts., turn.

2nd row—3 ch., dec. 2, 1 tr. in each remaining st. to last 4 sts., dec. 2, 1 tr. in top of 3 ch.

Rep. last row 3 times more (49 sts.).**

Divide for Back opening as follows:—

Next row—3 ch., miss first st., 1 tr. in each of next 22 sts., turn (23 sts.).

Work straight on these sts. for 1st side, until armhole measures 4 in., ending with right side facing for next row.

Shape shoulder as follows:—

Next row—3 ch., miss first st., 1 tr. in each of next 13 sts., 1 h.tr. in each of next 3 sts., 1 d.c. in each of next 3 sts. Fasten off.

With **wrong** side facing leave centre 3 sts. unworked, rejoin yarn in next st., 3 ch., 1 tr. in each following st., 1 tr. in top of 3 ch. (23 sts.).

Work straight on these sts. for 2nd side until armhole measures 4 in., ending with right side facing for next row.

Shape shoulder as follows:—

Next row—S.s. over 3 sts., 1 d.c. in each of next 3 sts., 1 h.tr. in each of next 3 sts., 1 tr. in each of next 14 sts.

Fasten off.

FRONT

Work as for Back from ** to **.

Work straight on these sts. until armhole measures 3 in., ending with right side facing for next row.

Divide for neck as follows:—

Next row—3 ch., miss first st., 1 tr. in each of next 10 sts., dec. 2, 1 tr. in next st., turn (13 sts.).

Work a few rows straight until Front matches Back at armhole edge, ending with right side facing for next row.

Shape shoulder to correspond with Back. Fasten off.

With right side facing, leave centre 19 sts. unworked, rejoin yarn in next st., 3 ch., dec. 2, 1 tr. in each st. to end (13 sts.).

Complete to match first side.

Using a flat seam join side seams.

SKIRT

With right side of Yoke facing, rejoin yarn to original ch. at left side seam on Back and work as follows:—

1st round—4 ch., miss first 2 ch., * 1 tr. in next ch., 1 ch., miss next ch., rep. from * all round lower edge of Yoke, s.s. in 3rd of 4 ch. (69 ch. sps.).

2nd round—3 ch., 2 tr. in next ch. sp., * 1 tr. in next tr., 3 tr. in next ch. sp., (1 tr. in next tr., 2 tr. in next ch. sp.) twice, rep. from *, ending last rep. 1 tr. in last tr., 2 tr. in last ch. sp., s.s. in top of 3 ch. (230 sts.).



Work Skirt patt. as follows:—

1st round—1 ch., 1 d.c. in first st., * 5 ch., miss 2 sts., (1 shell in next st., miss next st., 1 d.c. in next st., miss next st.) 4 times, 1 shell in next st., 5 ch., miss 2 sts., 1 d.c. in next st., 5 ch., 1 d.c. in next st., rep. from *, ending last rep. 2 ch., 1 tr. in first d.c. (10 patts.).

2nd round—3 ch., 2 tr. in sp. just made, * 5 ch., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) 4 times, 1 d.c. in 3rd tr. of next shell, 5 ch., miss next 5 ch. sp., 1 shell in next 5 ch. sp., rep. from *, ending last rep. 2 tr. in first ch. sp., s.s. in top of 3 ch.

3rd round—3 ch., 2 tr. in base of 3 ch., * 5 ch., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) 3 times, 1 d.c. in 3rd tr. of next shell, 5 ch., (3 tr., 3 ch., 3 tr.) in 3rd tr. of next shell, rep. from *, ending last rep. 3 tr. in base of 3 ch., 3 ch., s.s. in top of 3 ch.

4th round—S.s. into next tr., 3 ch., 4 tr. in base of 3 ch., * 5 ch., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) twice, 1 d.c. in 3rd tr. of next shell, 5 ch., 1 shell in 2nd of next 3 tr., 3 ch., 1 d.c. in 3 ch. sp., 3 ch., 1 shell in 2nd of next 3 tr., rep. from *, ending last rep., 1 d.c. in 3 ch. sp., 1 ch., 1 h.tr. in top of 3 ch.

5th round—1 ch., 1 d.c. in sp. just made, * 3 ch., 1 shell in 3rd tr. of next shell, 5 ch., 1 d.c. in 3rd tr. of next shell, 1 shell in next d.c., 1 d.c. in 3rd tr. of next shell, 5 ch., 1 shell in 3rd tr. of next shell, (3 ch., 1 d.c. in next 3 ch. sp.) twice, rep. from *, ending last rep. 3 ch., 1 d.c. in last 3 ch. sp., 1 ch., 1 h.tr. in first d.c.

6th round—4 ch., 4 d.tr. in sp. just made, * 3 ch., 1 shell in 3rd tr. of next shell, 5 ch., into 3rd tr. of next shell work (1 d.c., 10 ch.) 5 times and 1 d.c., 5 ch., 1 shell in 3rd tr. of next shell, 3 ch., miss next 3 ch. sp., 9 d.tr. in next 3 ch. sp., rep. from *, ending last rep. 4 d.tr. in first sp., s.s. in top of 4 ch.

7th round—5 ch., (1 d.tr. in next st., 1 ch.) 3 times, * 1 d.tr. in next st. 1 shell in 3rd tr. of next shell, (1 d.c. in next 10 ch. loop, 3 ch.) 4 times, 1 d.c. in next 10 ch. loop, 1 shell in 3rd tr. of next shell, (1 d.tr. in next d.tr., 1 ch.) 8 times, rep. from *, ending last rep. (1 d.tr. in next d.tr., 1 ch.) 4 times, s.s. in 4th of 5 ch.

8th round—3 ch., 2 tr. in base of 3 ch., (1 d.c. in next d.tr., 1 shell in next d.tr.) twice, * 5 ch., miss next 3 ch. sp., 1 d.c. in next 3 ch. sp., 5 ch., 1 d.c. in next 3 ch. sp., 5 ch., (1 shell in next d.tr., 1 d.c. in next d.tr.) 4 times, 1 shell in next d.tr., rep. from *, ending last rep., (1 shell in next d.tr., 1 d.c. in next d.tr.) twice, 2 tr. in base of 3 ch., s.s. in top of 3 ch.

9th round—1 ch., 1 d.c. in top of 3 ch., (1 shell in next d.c., 1 d.c. in 3rd tr. of next shell) twice, * 5 ch., miss next 5 ch. sp., 1 shell in next 5 ch. sp., 5 ch., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) 4 times, 1 d.c. in 3rd tr. of next shell, rep. from *, ending last rep., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) twice, s.s. in first d.c.

10th round—3 ch., 2 tr. in base of 3 ch., 1 d.c. in 3rd tr. of next shell, 1 shell in next d.c., 1 d.c. in 3rd tr. of next shell, * 5 ch., (3 tr., 3 ch., 3 tr.) in 3rd tr. of next shell, 5 ch., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) 3 times, 1 d.c. in 3rd tr. of next shell, rep. from *, ending last rep., 1 d.c. in 3rd tr. of next shell, 1 shell in next d.c., 1 d.c. in 3rd tr. of next shell, 2 tr. in base of 3 ch., s.s. in top of 3 ch.

11th round—1 ch., 1 d.c. in top of 3 ch., 1 shell in next d.c., 1 d.c. in 3rd tr. of next shell, * 5 ch., 1 shell in 2nd of next 3 tr., 3 ch., 1 d.c. in next 3 ch. sp., 3 ch., 1 shell in 2nd of next 3 tr., 5 ch., (1 d.c. in 3rd tr. of next shell, 1 shell in next d.c.) twice, 1 d.c. in 3rd tr. of next shell, rep. from *, ending last rep., 1 d.c. in 3rd tr. of next shell, 1 shell in next d.c., s.s. in first d.c.

12th round—3 ch., 2 tr. in base of 3 ch., * 1 d.c. in 3rd tr. of next shell, 5 ch., 1 shell in 3rd tr. of next shell, (3 ch., 1 d.c. in next 3 ch. sp.) twice, 3 ch., 1 shell in 3rd tr. of next shell, 5 ch., 1 d.c. in 3rd tr. of next shell, 1 shell in next d.c., rep. from *, ending last rep. 2 tr. in base of 3 ch., s.s. in top of 3 ch.,

13th round—Into s.s. work (10 ch., 1 d.c.) twice, * 5 ch., 1 shell in 3rd tr. of next shell, 3 ch., miss next 3 ch. sp., 9 d.tr. in next 3 ch. sp., 3 ch., 1 shell in 3rd tr. of next shell, 5 ch., into 3rd tr. of next shell work 1 d.c., (10 ch., 1 d.c.) 5 times, rep. from *, ending last rep. into s.s. work 1 d.c., (10 ch., 1 d.c.) twice, 5 ch., and 1 tr.tr. in same s.s.

14th round—1 ch., 1 d.c. in loop just made, (3 ch., 1 d.c. in next ch. loop) twice, * 1 shell in 3rd tr. of next shell, (1 d.tr. in next d.tr., 1 ch.) 8 times, 1 d.tr. in next d.tr., 1 shell in 3rd tr. of next shell, (1 d.c. in next ch. loop, 3 ch.) 4 times, 1 d.c. in next ch. loop, rep. from *, ending last rep. (1 d.c. in next ch. loop, 3 ch.) twice, s.s. in first d.c.

15th round—S.s. into next 3 ch. sp., 1 ch., 1 d.c. in same 3 ch. sp., * 5 ch., (1 shell in next d.tr., 1 d.c. in next d.tr.) 4 times, 1 shell in last d.tr., 5 ch., miss next 3 ch. sp., 1 d.c. in next 3 ch. sp., 5 ch., 1 d.c. in next 3 ch. sp., rep. from *, ending last rep. 2 ch., 1 tr. in first d.c.

Rep. 2nd to 15th row inclusive twice more. Fasten off.

SLEEVES

Make 67 ch., turn.

1st row—(**Wrong** side), 1 tr. in 4th ch. from hook, 1 tr. in each following ch. (65 sts.).

2nd row—3 ch., miss first st., 1 tr. in each following st., 1 tr. in top of 3 ch. Rep. last row once more.

Shape top as follows:—

1st row—S.s. over 2 sts., 3 ch., 1 tr. in each st. to last 2 sts., turn.

2nd row—3 ch., dec. 2, 1 tr. in each st. to last 4 sts., dec. 2, 1 tr. in top of 3 ch.

Rep. last row 7 times more (29 sts.).

Next row—3 ch., * dec. 2, 1 tr. in next st., rep. from * to end (15 sts.). Fasten off.

With **wrong** side facing, rejoin yarn to original ch. and work as follows:—

1st row—4 ch., * miss next ch., 1 tr. in next ch., 1 ch., rep. from *, ending 1 tr. in last ch. (32 ch. sps.).

2nd row—1 ch., 1 d.c. in first tr., * 1 shell in next tr., 1 d.c. in next tr., rep. from *, ending last rep. 1 d.c. in 3rd of 4 ch. Fasten off.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, and press lightly following instructions on the ball band.

Using a flat seam, join shoulder and sleeve seams. Insert Sleeves.

NECKBAND

With wrong side facing, start at top of opening on right back neck and work 61 d.c. all round neck edge, turn.

Next row—1 d.c. in first st., * miss next st., 1 shell in next st., miss next st., 1 d.c. in next st., rep. from * to end. Fasten off.

With right side facing for first row, work 2 rows d.c. all round back opening, working 3 buttonloops on 2nd row on right back, evenly spaced.

To make a buttonloop:—3 ch., miss 2 d.c.

Press seams. Sew on buttons.

Thread ribbon through row of holes of Yoke and Sleeves, and tie in bow at centre.

Dressed for the part

to beat the cold and brighten the day—coat, pull-ups and a stylish little helmet

COAT			
To fit chest	in.	20	22
Length from top of shoulders	in.	12	13
Sleeve seam	in.	7	8
Patons Fairytale Double Knitting Courtelle/Bri-Nylon × 20 gram balls		9	9
PULL-UPS			
Front seam	in.	8½	9
Inside leg seam	in.	9½	11
Patons Fairytale Double Knitting Courtelle/Bri-Nylon × 20 gram balls		6	9
HELMET			
Patons Fairytale Double Knitting Courtelle/Bri-Nylon × 20 gram balls		3	3
FOR THE SET			
Patons Fairytale Double Knitting Courtelle/Bri-Nylon × 20 gram balls		18	21

Two No. 10 and two No. 8 MILWARD needles. Cable pin. 6 buttons for Coat. 1 button for Helmet. Length of elastic for Pull-ups.

Tension
11 stitches and 15 rows to 2 in. measured over stocking stitch on No. 8 needles.

Notes, Tension and Abbreviations, page 2.

COAT

BACK
With No. 10 needles, cast on 55 [61] sts. and work 1 in. K.1, P.1 rib, rows on right side having a K.1 at each end, inc. 4 sts. evenly across on last row (59 [65] sts.).

Change to No. 8 needles and starting with a K. row, work in stocking stitch until Back measures 7 [7½] in., ending with right side facing for next row.

****Shape raglans** by casting off 3 sts. at beg. of next 2 rows.
1st row—K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1. **2nd row**—P. **3rd row**—K. **4th row**—P.**
Rep. 1st to 4th row once more then rep. 1st and 2nd rows until 21 [23] sts. remain, ending with right side facing for next row. Cast off.

RIGHT FRONT
With No. 10 needles, cast on 29 [31] sts. and work 1 in. in rib as on Back, inc. 3 [4] sts. evenly on last row (32 [35] sts.).

Change to No. 8 needles and work in stocking stitch and **patt.** as follows:—

1st row—K.1, P.1, K.4, P.2, K.1, P.2, (K.4, P.2) twice, K.9 [12].

2nd row—P.9 [12], K.2, P.4, K.2, P.3, K.2, P.2, K.2, P.4, K.2.

3rd row—K.1, P.1, K.4, P.2, K.3, P.2, K.2, P.2, K.4, P.2, K.9 [12].

4th row—P.9 [12], K.2, P.4, K.2, P.1, (K.2, P.4) twice, K.2.

5th row—K.1, P.1, C.4, P.2, K.3, P.2, K.2, P.2, C.4, P.2, K.9 [12].

6th row—P.9 [12], K.2, P.4, K.2, P.3, K.2, P.2, K.2, P.4, K.2.

These 6 rows place the patt.

Continue in stocking stitch and patt. until Front matches Back at side edge, ending with **wrong** side facing for next row.

Keeping continuity of patt., **shape raglan** by casting off 3 sts. at beg. of next row.

1st row—Work to last 3 sts., K.2 tog., K.1.

2nd row—P.2, work to end.

3rd row—Work to last 2 sts., K.2.

4th row—As 2nd row.

Rep. these 4 rows once more, then rep. 1st and 2nd rows until 18 [19] sts. remain, ending with right side facing for next row.

Shape neck by casting off 5 [6] sts. at beg. of next row, work to last 3 sts., K.2 tog., K.1.

Dec. 1 st. at raglan edge on every alt. row as before, **at the same time** dec. 1 st. at neck edge on next 5 rows (5 sts.).

Next row—(K.2 tog.) twice, K.1.

Next row—P.3. **Next row**—K.2 tog. K.1. **Next row**—P.2. K.2 tog. and fasten off.

LEFT FRONT
Work to correspond with Right Front, reversing shapings and working sl.1, K.1, p.s.s.o. in place of K.2 tog. at raglan shaping and placing patt. as follows:—

1st row—K.9 [12], P.2, K.4, P.2, K.1, (P.2, K.4) twice, P.1, K.1.

2nd row—K.2, P.4, K.2, P.3, K.2, P.2, K.2, P.4, K.2, P.9 [12].

3rd row—K.9 [12], P.2, K.4, P.2, K.3, P.2, K.2, P.2, K.4, P.1, K.1.

4th row—K.2, P.4, K.2, P.1, (K.2, P.4) twice, K.2, P.9 [12].

5th row—K.9 [12], P.2, C.4, P.2, K.3, P.2, K.2, P.2, C.4, P.1, K.1.

6th row—K.2, P.4, K.2, P.3, K.2, P.2, K.2, P.4, K.2, P.9 [12].

SLEEVES
With No. 10 needles, cast on 28 [30] sts. and work 10 rows K.1, P.1 rib, inc. 4 sts. evenly across on last row (32 [34] sts.).

Change to No. 8 needles and work in stocking stitch starting with a K. row, shaping sides by inc. 1 st. at each end of 5th and every following 9th row until there are 40 [44] sts.

Work straight until sleeve seam measures 7 [8] in., ending with right side facing for next row.

Shape raglans as for Back from ** to **.

Rep. 1st to 4th row 3 times more, then 1st and 2nd rows until 6 sts. remain, ending with right side facing for next row. Cast off.

BUTTON BORDER

With No. 10 needles, cast on 9 sts. and work in rib as follows :—

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Rep. these 2 rows until Border fits up Right Front to start of neck shaping.

Cast off in rib.

Sew Border neatly in position, using a flat seam.

BUTTONHOLE BORDER

Work as for Button Border with the addition of 6 buttonholes, 1st to come ½ in. up from lower edge and 6th 2 rows below start of neck shaping, remaining 4 spaced evenly between. First mark position of buttons with pins on Button Border to ensure even spacing, then work buttonholes to correspond.

To make a buttonhole:—(Right side), rib 3, cast off 2, rib to end and back, casting on 2 over those cast off. Sew Border neatly in position.

COLLAR

With No. 10 needles, cast on 25 [29] sts.

1st row—(Right side), K.1, * P.1, K.1, rep. from * to end.

2nd row—Cast on 6 sts., (P.1, K.1) 3 times across these sts., rib to end.

Keeping continuity of rib, continue in this way, casting on 6 sts. at beginning of next 7 rows (73 [77] sts.).

Continue straight until short edge measures 2 in., ending with right side facing for next row.

Dec. 1 st. at each end of next 4 rows.

Break yarn.

Now with right side facing, **knit up** 19 sts. along one side and shaped edge, rib 65 [69] sts. on needle, **knit up** 19 sts. along second shaped edge and side (103 [107] sts.).

Next row—K.1, * P.1, K.1, rep. from * to end.

Next row—K.2, * P.1, K.1, rep. from * to last st., K.1.

Rep. last 2 rows once more.

Cast off in rib.

continued on page 23

The young visitor

a welcome sight in her pretty bonnet and angel top
brightly bordered and boldly decorated

ANGEL TOP		
To fit chest	in.	20
Length from top of shoulders (including edging)	in.	11½
Sleeve seam (including edging)	in.	6½
Patons Beehive Knits as 4 ply		
Main Shade	×50 gram balls	3
Contrast	×50 gram ball	1
BONNET		
Width round front edge	in.	11
Patons Beehive Knits as 4 ply		
Main Shade	×50 gram ball	1
Contrast	×50 gram ball	1
FOR THE SET		
Patons Beehive Knits as 4 ply		
Main Shade	×50 gram balls	3
Contrast	×50 gram ball	1

No. 3·50 mm (9) and No. 3·00 mm (11) MILWARD crochet hooks. 6 small buttons, 1 press stud and shirring elastic for Angle Top. Length of ribbon for Bonnet.

Tension
11½ trebles and 6½ rows to 2 in. on No. 3·50 hook.

Notes, Tension and Abbreviations, page 2.

Note
3 ch. at beginning of tr. rows counts as 1 st.

ANGEL TOP

FRONT

With No. 3·50 hook and C. make 87 ch. loosely.
** **Foundation row**—(**Wrong** side), 1 d.c. in 2nd ch. from hook, 1 d.c. in each ch. to end (86 sts.).
Work **mesh border** as follows:—
1st row—2 ch., miss first st., 1 h.tr. in next st., * 2 ch., miss next st., 1 h.tr. in next st., rep. from * to end.
2nd row—2 ch., 1 h.tr. in first ch. sp., * 2 ch., 1 h.tr. in next ch. sp., rep. from * working h.tr. of last rep. in top of 2 ch. **
Rep. 2nd row 7 times more.
Break C. Join in M.
Next row—1 d.c. in first st., 2 d.c. in each ch. sp. to end, 1 d.c. in top of 2 ch. (86 sts.). ***
Next row—3 ch., miss first st., 1 tr. in each st. to end.
Rep. the last row until Front measures 6½ in.

Shape armholes as follows:—
1st row—S.s. over first 5 sts., 3 ch., do not miss a st., dec. 1, work to last 7 sts., dec. 1, 1 tr. in next st., turn, thus leaving 4 sts. unworked.
2nd to 4th row—3 ch., miss first st., dec. 1, work to last 3 sts., dec. 1, 1 tr. in turning ch. (70 sts.).
Next row—3 ch., miss first st., dec. 1, 1 tr. in each of next 8 sts., (dec. 1) 24 times, 1 tr. in each of next 8 sts., dec. 1, 1 tr. in turning ch. (44 sts.).
Continue straight in tr. until Front measures 9½ in.

Shape neck as follows:—
Next row—3 ch., miss first st., 1 tr. in each of next 15 sts., turn.
Continue on this group of sts. dec. 1 st. at neck edge on next 4 rows.
Fasten off.
Leaving centre 12 sts. free, rejoin yarn to next st. and make 3 ch., 1 tr. in each st. to end.
Dec. 1 st. at neck edge on next 4 rows.
Fasten off.

BACK

Work as Front to ***.
Divide work as follows:—
Next row—3 ch., miss first st., 1 tr. in each of next 41 sts., turn.

Continue on this group of 42 sts. until Back measures same as Front to armhole shaping, ending at armhole edge.

Shape armhole as follows:—.
Next row—S.s. over first 5 sts., 3 ch., do not miss a st., dec. 1, work to end. Dec. 1 st. at armhole edge on next 3 rows (34 sts.).

Next row—3 ch., miss first st., dec. 1, 1 tr. in each of next 6 sts., (dec. 1) 12 times, 1 tr. in turning ch. (21 sts.).

Continue straight until Back measures same as Front to shoulder.

Fasten off.

Leaving 2 sts. free at centre, rejoin yarn to next d.c. and make 3 ch., 1 tr. in each st. to end.

Complete to match first half, reversing shapings.

SLEEVES

With No. 3·50 hook and C., make 41 ch.

Work as Front from ** to ** (40 sts.). Rep. 2nd row 5 times more.

Break C. Join in M.

Next row—1 d.c. in first st., 2 d.c. in each ch. sp. to end, 1 d.c. in top of 2 ch. (40 sts.).

Next row—3 ch., miss first st., (1 tr. in each of next 5 sts., 2 tr. in next st.) 6 times, 1 tr. in each of last 3 sts. (46 sts).

Continue straight in tr. until sleeve seam measures 6 in.

Shape top as follows:—
1st row—As 1st row of armhole shaping on Front.

Dec. 1 st. at each end of next 3 rows, then (dec. 1) twice at each end of following 3 rows. Fasten off.



FLOWERS (make two)

** With No. 3·00 hook and C., make 5 ch., join into a ring with s.s.

1st round—6 ch., 1 d.c. in 2nd ch. from hook, 1 ch., (1 tr. in ring, 3 ch., 1 d.c. in 2nd ch. from hook, 1 ch.) 4 times, join with s.s. to 3rd of 6 ch.

2nd round—(7 ch., s.s. in next tr.) 4 times, 7 ch., s.s. to base of first 7 ch. **

3rd round—Work 2 d.c., 1 h.tr., 2 tr., 1 h.tr., 2 d.c. in each 7 ch. sp., then work stalk as follows:— 17 ch., 1 d.c. in 2nd ch. from hook, 1 d.c. in each remaining ch., join with s.s. to first d.c. of round. Fasten off.

LEAVES (make four)

With No. 3·00 hook and C., make 10 ch.

1st row—1 d.c. in 2nd ch. from hook, 1 h.tr. in next ch., 1 tr. in next ch., 1 d.tr. in next ch., 1 tr. tr. in next ch., 1 d.tr. in next ch., 1 tr. into next ch., 1 h.tr. in next ch., 1 d.c. in last ch. Fasten off.

TO MAKE UP

Using a flat seam, join shoulder, side and sleeve seams.

Insert Sleeves.

With right side facing for first row, No. 3·00 hook and M., starting at lower edge of opening, work 3 rows of d.c. along left back, round neck and down right back, working 6 buttonholes on 2nd row on right back, first to come 1½ in. up from base of opening, 6th just below neck edge and remainder spaced evenly between.

First mark position for buttons on Left Back with pins to ensure even spacing then work buttonholes to correspond.

To make a buttonhole:—2 ch., miss 2 d.c.

LOWER EDGING

With right side facing, No. 3·50 hook and M., work 1 d.c. in each remaining loop of Foundation ch.

Next row—* 3 ch., 1 d.c. in 2nd ch. from hook, 1 ch., miss 2 d.c., s.s. in next d.c., rep. from * to end.

Fasten off.

Work round lower edge of Sleeves in same way.

Sew Flowers and Leaves in position on Front as in Photograph, placing stalks approximately 4½ in. apart.

Sew on buttons and press stud at neck edge. Thread shirring elastic through first row of trebles on Sleeves and draw up.

BONNET

With No. 3·50 hook and M., starting at crown, make 5 ch., join into a ring with s.s.

1st round—(Right side), 3 ch., work 13 tr. into ring, join with s.s. to top of 3 ch.

2nd round—3 ch., 1 tr. in same sp. as s.s., 1 tr. in next st., (2 tr. in next st., 1 tr. in next st.) 6 times, join with s.s. to top of 3 ch. (21 sts.).

3rd round—3 ch., 1 tr. in same sp. as s.s., 1 tr. in each of next 2 sts., (2 tr. in next st., 1 tr. in each of next 2 sts.) 6 times, join with s.s. to top of 3 ch. (28 sts.).

4th round—3 ch., 1 tr. in same sp. as s.s., 1 tr. in each of next 3 sts., (2 tr. in next st., 1 tr. in each of next 3 sts.) 6 times, join with s.s. to top of 3 ch. (35 sts.).

Continue inc. in this way until there are 63 sts.

Now work in rows as follows:—
Next row—3 ch., 1 tr. in each of next 61 sts., turn.

Continue working in rows of tr. on these 62 sts. until Bonnet measures 5½ in. from centre of crown, ending with right side facing for next row. Break M.

Join in C. and work 1st and 2nd rows of mesh border as on Front of Angel Top, then rep. 2nd row 3 times more. Break C. Join in M.

Next row—1 d.c. in first st., 2 d.c. in each ch. sp., ending 2 d.c. in top of 2 ch. (63 sts.).

Next row—* 3 ch., 1 d.c. in 2nd ch. from hook, 1 ch., miss 2 d.c., s.s. into next d.c., rep. from * to end. Fasten off.

FLOWER

Work as Flower for Angel Top from ** to **.

3rd round—Work 2 d.c., 1 h.tr., 2 tr., 1 h.tr., 2 d.c. in each 7 ch. sp., join with s.s. to first ch. sp. Fasten off.

TO MAKE UP

Turn back C. portion to right side of Bonnet and stitch down side edges lightly.

Stitch Flower to crown. Sew on ribbon.

Boys' Cardigan Pull-ups and Helmet

continued from page 19

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, and omitting ribbing press lightly following instructions on the ball band.

Using a flat seam for ribbing and a fine back-stitch seam for remainder, join raglan, side and sleeve seams.

Sew Collar round neck, starting and ending in centre of front borders.

Press seams. Sew on buttons.

PULL-UPS

RIGHT LEG

With No. 10 needles, cast on 64 [74] sts. and work 1 in. K.1, P.1 rib, inc. 1 st. at beg. of last row (65 [75] sts.).

Change to No. 8 needles and work in **patt.** as follows :—

1st row—P.2, * K.1, P.4, rep. from * to last 3 sts., K.1, P.2. **

2nd row—K.2, * P.1, K.4, rep. from * to last 3 sts., P.1, K.2.

These 2 rows form patt.

*** Keeping continuity of patt. **shape back** as follows :—

1st row—Patt. 9, turn.

2nd and every alt. row—Patt. to end.

3rd row—Patt. 17, turn.

5th row—Patt. 25, turn.

Continue in this way, working 8 sts. more on every alt. row until the row "Patt. 57 [65], turn" has been worked.

Next row—Patt. to end. ***

Continue in patt. across all sts., inc. 1 st. at each end of 11th and every following 8th row until there are 75 [85] sts., keeping inc. sts. P. on right side, K. on wrong side.

Work straight until front seam (short edge) measures 8½ [9] in., ending with right side facing for next row.

Shape leg by casting off 2 [3] sts. at beg. of next 2 rows.

Dec. 1 st. at each end of next and following alt. row.

Work 3 rows straight, then dec. 1 st. at each end of next and every following 6th row until 51 [55] sts. remain. Work straight until leg measures 7½ [9] in. measured down centre of work from start of leg shaping, ending with **wrong** side facing for next row.

Next row—Patt. 4 [6], work 2 tog., * patt. 4, work 2 tog., rep. from * to last 3 [5] sts., patt. to end (43 [47] sts.).

Change to No. 10 needles and work 1½ in. K.1, P.1 rib as on Back of Coat.

Cast off in rib.

LEFT LEG

Work as for Right Leg to **.

Shape back as for Right Leg from *** to ***.

Next row—In patt.

Now complete to match Right Leg.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, and omitting K.1, P.1 rib press lightly following instructions on the ball band.

Using a flat seam for K.1, P.1 rib and a fine back-stitch seam for remainder, join leg, back and front seams.

Cut elastic to fit waist, join into a ring and sew inside waist ribbing, using herringbone stitch over elastic to form a casing.

Press seams.

HELMET

EAR PIECES

**With No. 10 needles, cast on 7 sts. and work in rib as follows :—

1st row—K.2, (P.1, K.1) twice, K.1.

2nd row—K.1, (P.1, K.1) 3 times.

3rd and 4th rows—As 1st and 2nd rows.**

5th row—K.2, K.2 tog., y.r.n., (for buttonhole), P.1, K.2.

Continue in rib until strap measures 3 in., ending with a 2nd row.

***Shape Earflap**

1st row—K.2, M.1, P.1, K.1, P.1, M.1, K.2.

2nd row—K.1, P.2, K.1, P.1, K.1, P.2, K.1.

3rd row—K.2, M.1, * K.1, P.1, rep. from * to last 3 sts., K.1, M.1, K.2.

4th row—K.1, * P.1, K.1, rep. from * to end.

Continue inc. thus at each end of next and every alt. row until there are 27 sts.

Work 1 [3] rows straight. ***

Leave sts. on a spare needle.

Work another ear piece in same way, but working only from ** to ** and *** to ***.

MAIN PIECE

With No. 10 needles, cast on 11 sts., (P.1, K.1) 13 times, P.1 across ear piece with buttonhole strap, cast on 33 sts., (P.1, K.1) 13 times, P.1 across remaining ear piece, cast on 11 sts. (109 sts.).

Work 5 rows in P.1, K.1 rib, rows on right side having a K.1 at each end.

Change to No. 8 needles and work in **patt.** as follows :—

1st row—P.2, K.1, * P.3, K.1, rep. from * to last 2 sts., P.2.

2nd row—K.2, P.1, * K.3, P.1, rep. from * to last 2 sts., K.2.

Rep. these 2 rows until Helmet measures 4½ [5] in. from start of Main Piece, ending with a 2nd row.

Shape top as follows :—

1st row—P.2, K.1, * P.1, P.2 tog., K.1, rep. from * to last 2 sts., P.2.

2nd row—K.2, * P.1, K.2, rep. from * to end.

3rd row—P.2, * K.1, P.2, rep. from * to end.

4th row—As 2nd row.

5th row—P.2 tog., * K.1, P.2 tog., rep. from * to end.

6th row—K.1, * P.1, K.1, rep. from * to end.

7th row—P.1, * K.1, P.1, rep. from * to end.

8th row—As 6th row.

9th row—* K.2 tog., rep. from * to last st., K.1.

10th row—P.

11th row—* K.2 tog., rep. from * to end.

Break yarn.

Thread yarn through remaining sts., draw up and fasten off securely.

TO MAKE UP

Block and press as for Pull-Ups.

Using a flat seam for K.1, P.1 rib and a fine back-stitch seam for remainder, join back seam.

Sew on button. Make a pompon and attach to top of Helmet.

For all to admire

two cosy pram covers—one to knit in a speckled pattern and one to crochet in traditional motifs

KNITTED PRAM COVER

Measurements (approximately)		in.	22×27½
Patons Beehive Double Knitting			
Main Shade	×50 gram balls		8
Contrast	×50 gram balls		3



Two No. 5 MILWARD needles.

Tension
9 sts. and 10 rows to 2 in. over pattern on No. 5 needles, using 2 strands together.

Notes, Tension and Abbreviations, page 2.

Note
2 strands of yarn are used together throughout.

Strand colour not in use loosely across wrong side of work and carry colour not in use loosely up side of work.

With M.S., cast on 96 sts. and work 11 rows in garter stitch (every row sl. 1, K. to end).

Next row—Sl.1, K.7, slip these 8 sts. on to a thread, K.4, inc. in next st., (K.9, inc. in next st.) 7 times, K.5, slip next 8 sts. on to a thread (88 sts.).

Join in C. as required and work in **patt.** as follows :—

1st row—Sl.1, K.2C., * K.4M.S., K.2C., rep. from * to last st., K.1M.S.

2nd row—Sl.1, K.2C., y.ft., * P.4M.S., K.2C., y.ft., rep. from * to last st., K.1M.S.

3rd row—In M.S., sl.1, K. to end.

4th row—In M.S., sl.1, P. to last st., K.1.

5th row—Sl.1, K.3M.S., * K.2C., K.4M.S., rep. from * to end.

6th row—Sl.1, P.3M.S., * K.2C., y.ft., P.4M.S., rep. from * to last 6 sts., K.2C., y.ft., P.3M.S., K.1M.S.

7th and 8th rows—As 3rd and 4th. These 8 rows form patt.

Continue in patt. until main part measures approximately 26½ in. ending with a 2nd patt. row.

Break C.

Next row—K.4, K.2 tog., (K.9, K.2 tog.) 7 times, K.5 (80 sts.).

Break M.S. and slip sts. on to a length of yarn.

BORDERS

With **wrong** side facing, rejoin M.S. to 8 border sts. on left side and work in garter stitch until Border measures 26 in. from cast-on edge, ending with **wrong** side facing.

Break M.S. and slip sts. on to a thread. Sew in position, using a flat seam, slightly stretching it to fit edge of main part.

With right side facing, rejoin yarn to remaining border sts. and complete to correspond with first Border, ending with **wrong** side facing for next row.

Next row—Sl. 1, K. 7, then on to same needle K. across sts. of main part and first Border (96 sts.).

Work 10 rows in garter stitch across all sts. Cast off evenly.

Sew remaining Border in position.

Do not press.

CROCHET PRAM COVER

Measurements		in.	18×27
Patons Beehive Double Knitting			
Light	×50 gram balls		2
Medium	×50 gram ball		1
Dark	×50 gram ball		1
AND			
Patons Beehive Knits as 4 ply			
Medium	×50 gram ball		1
Dark	×50 gram ball		1



No. 4·50 mm (7) and No. 3·50 mm (9) MILWARD crochet hooks.

½ yard of washable lining material to match D. yarn.

Tension: Motif should measure 4½ in.

Notes, Tension and Abbreviations, page 2.

LARGE MOTIF

With No. 4·50 hook and L. Double Crepe, make 6 ch. loosely, join with s.s. in first ch. to form a ring.

1st round—3 ch., work 23 tr. into ring, join with s.s. to top of 3 ch. (24 sts.). Break L. Join in M.

2nd round—In M., 5 ch., 1 tr. in same st. as s.s., 1 ch., * miss 2 sts., (1 tr. 2 ch. 1 tr.) in next st., 1 ch., rep. from * 6 times more, miss 2 sts., join with s.s. to 3rd of 5 ch.

Break M.

Join in D.

3rd round—In D., s.s. in first 2 ch. sp., 3 ch., (1 tr. 2 ch. 2 tr.) in same 2 ch. sp., * 1 d.c. in next 1 ch. sp., (2 tr. 2 ch. 2 tr.) in next 2 ch. sp., rep. from * 6 times more, 1 d.c. in last 1 ch. sp., join with s.s. to top of 3 ch., s.s. in next tr.

Break D.

Rejoin L.

4th round—In L., s.s. in first 2 ch. sp., 3 ch., (2 tr. 1 ch. 3 tr.) in same 2 ch. sp., 1 d.c. in next d.c., * (3 tr. 1 ch. 3 tr.) in next 2 ch. sp., 1 d.c. in next d.c., rep. from * 6 times more, join with s.s. to top of 3 ch.

Fasten off.

Work 23 more Motifs in the same way.

continued on page 39

Little angel

looking heavenly in a knitted angel top with this comfy bonus : raglan sleeves

To fit chest	in.	18	20	22
Length	in.	10	11	12
Sleeve seam	in.	5	6	8
Patons Fairytale 4 ply Courtelle/Bri-Nylon × 20 gram balls		4	6	6

Two No. 10 MILWARD needles.
Cable pin.
3 buttons.

Tension
14 sts. and 18 rows to 2 in. measured over stocking stitch on No. 10 needles

Notes, Tension and Abbreviations, page 2.

FRONT

Cast on 90 [103, 116] sts.
K. 6 rows.

Now work in **cable patt.** as follows :—

1st row—(**Wrong** side), K.3, * P.6, K.7, rep. from * to last 9 sts., P.6, K.3.

2nd row—P.3, * y.b., sl.1, K.1, p.s.s.o., y.fwd., K.2, y.fwd., K.2 tog., P.7, rep. from * to end, but ending last rep. P.3 in place of P.7.

3rd row—As 1st row.

4th row—P.3, * K.6, P.7, rep. from * to last 9 sts., K.6, P.3.

5th row—As 1st row.

6th row—P.3, * Cr.1F., Cr.2B., P.7, rep. from * to last 9 sts., Cr.1F., Cr.2B., P.3.

Rep. the last 6 rows 4 [4, 5] times more.

Next row—K.3, * P.6, K.2 tog., K.3, K.2 tog., rep. from * to last 9 sts., P.6, K.3 (78 [89, 100] sts.).

Next row—As 2nd row, but working P.5 in place of P.7.

Work 15 [19, 19] rows in patt. (**noting** that 5 sts. should be worked between cables), thus ending with a 5th [3rd, 3rd] row of patt.

Continue in patt., **shaping raglans** by casting off 2 [3, 4] sts. at beg. of next 2 rows.



1st row—K.1, K.2 tog.t.b.l., work to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P.1, work to last 2 sts., P.1, K.1.

Rep. the last 2 rows 1 [2, 2] times, then first row again (68 [75, 84] sts.).

1st and 2nd sizes only

Next row—K.9 [7], * (K.2 tog.) 3 times, K.5, rep. from * to last 4 [2] sts., K.2 tog., K.2 [0] (52 [56] sts.).

3rd size only

Next row—(K.1, K.2 tog.) twice, * (K.2 tog.) 3 times, K.5, rep. from * to last 12 sts., (K.2 tog.) 3 times, K.3, K.2 tog., K.1 (60 sts.).

All sizes

***Next row**—(lace raglan row), K.1, sl.1, K.1, p.s.s.o., y.fwd., K.2 tog., K. to last 5 sts., sl.1, K.1, p.s.s.o., y.fwd., K.2 tog., K.1.

Next row—K.**

Next row—As lace raglan row.

Next row—K.1, P. to last st., K.1.***
Rep. the last 2 rows 9 [10, 10] times (30 [32, 36] sts.).

Shape neck as follows :—

Next row—K.1, sl.1, K.1, p.s.s.o., y.fwd., K.2 tog., K.5 [5, 7], cast off centre 10 [12, 12] sts., K. to last 5 sts., sl.1, K.1, p.s.s.o., y.fwd., K.2 tog., K.1.

Continue on first group of sts. as follows :—

Still dec. at raglan edge on every alt. row as before now dec. 1 st. at neck edge on next 3 [3, 4] rows.

Continue dec. at raglan edge **only** until 2 sts. remain.

Work 1 row. Fasten off.

Rejoin yarn to remaining sts. and complete to match first side.

BACK

Work as Front until ** is reached (50 [54, 58] sts.).

Divide for back opening as follows :—

Next row—K.1, sl.1, K.1, p.s.s.o., y.fwd., K.2 tog., K.22 [24, 26], turn.

Next row—K.4, P. to last st., K.1.

Dec. at raglan edge as before, and knitting 4 sts. at inside edge on every row, work 6[8, 6] rows.



Next row—(Buttonhole row), work to last 4 sts., K.2 tog., y.fwd., K.2.
Working a buttonhole on the following 12th [12th, 14th] row, continue dec. at raglan edge as before until 12 [13, 14] sts. remain, ending with **wrong** side facing for next row.
Next row—K.4, (slip these sts. on to a safety-pin and leave), P. to last st., K.1. Cast off.
Rejoin yarn to sts. on needle, cast on 4 sts. for underflap, and knitting these 4 sts. on every row, continue dec. at raglan edge as before until 12 [13, 14] sts. remain, ending with right side facing for next row.
Next row—K.4 (slip these sts. on a safety-pin). Cast off remaining sts.

SLEEVES

Cast on 31 [31, 33] sts.
K. 9 rows.
Next row—K.3 [3, 4], (inc. in next st., K.3) 6 times, inc. in next st., K.3 [3, 4] (38 [38, 40] sts.).
Now work in **reverse** stocking stitch with centre cable as follows:—
1st row—(**Wrong** side), K.16 [16, 17], P.6, K. to end.
2nd row—P.16 [16, 17], y.b., sl.1, K.1, p.s.s.o., y.fwd., K.2, y.fwd., K.2 tog., P. to end.
Working cable as on Back, inc. 1 st. at each end of 2nd and every following 7th [5th, 6th] row until there are 48 [54, 58] sts.
Continue on these sts. until work measures approximately 5 [6, 8] in., ending with a 5th [3rd, 3rd] row of cable.

Shape raglan

Work first 4 rows as on Front.
Now rep. the last 2 rows 1 [2, 2] times, then first row again.
Next row—K.
Work from *** to *** as on Front.
Rep. the last 2 rows until 10 sts. remain.
Next row—K.1, sl.1, K.1, p.s.s.o., y.fwd., K.2 tog., sl.1, K.1, p.s.s.o. y.fwd., K.2 tog., K.1.
Next row—K.1, P. to last st., K.1.
Next row—Sl.1, K.2 tog., p.s.s.o., y.fwd., K.2, y.fwd., K.3 tog. (6 sts.).
Next row—K.1, P. to last st., K.1.
Cast off.

MAKE UP AND NECKBAND

With wrong side of work facing, block each piece by pinning out round edges, and press lightly following instructions on the ball band. Using a flat seam, join raglan, side and sleeve seams. With right side of work facing, starting at top of Left Back, slip 4 sts. from safety-pin on to a needle, using same needle, **knit up** 48 [54, 58] sts. round neck, K. across sts. on safety-pin (56 [62, 66] sts.). Working a buttonhole on 2nd row, K. 4 rows.
Cast off.
Stitch down underflap at base of opening. Press seams. Sew on buttons.

Little boy blue

a smart, quick-to-work threesome with a nice touch of contrast

SWEATER			
To fit chest	in.	18–19	20–21
Length from top of shoulders	in.	9½	10½
Sleeve seam	in.	5½	6½
Patons Fairytale 3 ply Courtelle/Bri-Nylon			
Main Shade	× 20 gram balls	3	4
1st Contrast		oddment	oddment
2nd Contrast		oddment	oddment
PILCH			
Length from crutch to waist	in.	8	9½
Patons Fairytale 3 ply Courtelle/Bri-Nylon			
Main Shade	× 20 gram balls	3	3
SOCKS			
Patons Fairytale 3 ply Courtelle/Bri-Nylon			
Main Shade	× 20 gram balls	2	2
1st Contrast		oddment	oddment
2nd Contrast		oddment	oddment

Two No. 13 and two No. 11 MILWARD needles. No. 3·00 mm (11) MILWARD crochet hook. Length of elastic for waist.
3 small buttons.

Tension
16 sts. and 20 rows to 2 in. measured over stocking stitch on No. 11 needles

Notes, Tension and Abbreviations, page 2.

SWEATER

BACK

** With No. 13 needles and M.S., cast on 76 [84] sts. and work 9 rows K.1, P.1 rib inc. 1 st. on last row (77 [85] sts.).

Change to No. 11 needles and P. 1 row.

Now work in **patt.** as follows:—

1st row—In 2nd C., * K.1, sl.1, rep. from * to last st., K.1.

2nd row—In 2nd C., P.

3rd row—In 1st C., K.2, * sl.1, K.1, rep. from * to last 3 sts., sl.1, K.2.

4th row—In 1st C., P. **5th row**—In M.S., as 1st row. **6th row**—In M.S., P. **7th row**—In 2nd C., as 3rd row. **8th row**—In 2nd C., P. **9th row**—In 1st C., as 1st row. **10th row**—In 1st C., P. **11th row**—In M.S., as 3rd row. **12th row**—In M.S., P.

These 12 rows form patt.

Rep. them once more, dec. 1 st. on last row (76 [84] sts.).

Break 1st and 2nd C.

Now work in stocking stitch until Back measures 5 [5½] in., ending with right side facing for next row.

Shape raglans by casting off 2 sts at beg. of next 2 rows.

Next row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1. **

Continue dec. thus on every following alt. row until 48 [52] sts. remain, ending with right side facing for next row.

Divide for back opening as follows:—

Next row—K.1, K.2 tog.t.b.l., K.21 [23], turn, leaving remaining sts. on a spare needle.

Continue on these sts. for first side, dec. on every alt. row as before until 17 [18] sts. remain.

Next row—P. to last 3 sts., P.2 tog. t.b.l., P.1.

Now dec. at armhole edge on every row as before until 12 [13] sts. remain.

Leave sts. on a spare needle.

With right side facing, rejoin yarn to remaining sts. and finish to correspond with first side reversing shapings.

FRONT

Work as Back from ** to **.

Continue dec. thus on every following alt. row until 42 [46] sts. remain, ending with right side facing for next row.

Divide for neck as follows:—

Next row—K.1, K.2 tog.t.b.l., K.12 [13], turn, leaving remaining sts. on a spare needle.

Next row—P.

Next row—K.1, K.2 tog.t.b.l., K. to last 2 sts., K.2 tog.

Rep. these 2 rows until 8 [7] sts. remain, ending with **wrong** side facing for next row.

Next row—P. to last 3 sts., P. 2 tog. t.b.l., P.1.

1st size only

Next row—K.1, K.2 tog.t.b.l., K.2, K.2 tog.

Both sizes

Now dec. at raglan edge **only** as before on every row until 2 sts. remain, ending with right side facing for next row.

K.2 tog. and fasten off.

With right side facing, leave centre 12 [14] sts. on a spare needle, rejoin yarn to remaining sts. and finish to correspond with first side, reversing shapings.

SLEEVES

With No. 13 needles and M.S., cast on 40 [44] sts. and work 9 rows K.1, P.1 rib inc. 1 st. on last row (41 [45] sts.).

Change to No. 11 needles and P. 1 row.

Now work the 12 patt. rows as for Back.

Break 1st C. and 2nd C.

Shape sides by inc. 1 st. at each end of next and every following 4th [6th] row until there are 57 [61] sts.

Work straight until sleeve seam measures 5½ [6½] in., ending with right side facing for next row.

Shape raglan by casting off 2 sts. at beg. of next 2 rows, then dec. 1 st. at each end as on Back of next and every following alt. row until 15 [11] sts. remain.

Next row—P.1, P.2 tog., P. to last 3 sts., P.2 tog.t.b.l., P.1.

Now dec. 1 st. at each end of every row as before until 5 sts. remain.

Leave sts. on a safety-pin.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, and omitting ribbing, press following instructions on the ball band. Using a fine back-stitch seam, join raglans.

NECKBAND

With right side facing, No. 13 needles and M.S., K.12 [13] sts. from Left Back, K. 5 sts. from safety-pin, **knit up** 10 [11] sts. down left side of neck, K.12 [14] sts. from Front, **knit up** 10 [11] sts. up right side of neck, K. 5 sts. from safety-pin, K.12 [13] sts. from Right Back (66 [72] sts.).

Work 7 rows K.1, P.1 rib.

Cast off evenly in rib.

BACK BORDERS

With right side facing, No. 3·00 hook and M.S., work 2 rows double crochet along edges working 3 buttonloops evenly spaced on 2nd row up right side of opening.

To make a buttonloop—2 ch., miss 2 sts.

PILCH

BACK

** With No. 13 needles and M.S., cast on 84 [92] sts. and work 2 in. K.1, P.1 rib, ending with right side facing for next row. **

Change to No. 11 needles and stocking stitch, shaping as follows:—

1st and 2nd rows—Work to last 32 [36] sts., turn.

3rd and 4th rows—Work to last 24 [27] sts., turn.

5th and 6th rows—Work to last 16 [18] sts., turn.

7th and 8th rows—Work to last 8 [9] sts., turn.

9th row—K. to end.

10th row—P. across all sts.

*** Continue in stocking stitch until Back measures 5½ [6½] in. from start, measured at side edge, ending with right side facing for next row.

Shape legs by casting off 5 [6] sts. at beg. of next 2 rows, then dec. 1 st. at each end of every row until 22 [24] sts. remain.

Work 8 [10] rows straight.

Cast off.

FRONT

Work as Back from ** to **, then work from *** to end.

Block and Press as for Sweater.

Using a flat seam, join side seams.

LEG BANDS

With right side facing, No. 13 needles and M.S., **knit up** 90 [96] sts. along leg.

Work 1½ in. K.1, P.1 rib.

Cast off loosely in rib.

Fold waist ribbing in half to wrong side and flat stitch into position, leaving an opening for elastic.

Insert elastic and join ends.

Close opening.

Join cast-off edges and ribbing at crutch.

Fold Leg Band in half to wrong side and slip-stitch to form hem.

Press seams.

SOCKS

With No. 13 needles and M.S., cast on 44 [48] sts. and work 9 rows K.1, P.1 rib, inc. 1 st. on last row (45 [49] sts.).

Change to No. 11 needles and P. 1 row.

Now work 12 patt. rows as for Back of Sweater dec. 1 st. on last row (44 [48] sts.).

Break 1st C. and 2nd C.

Now work in stocking stitch **shaping sides** by dec. 1 st. at each end of next [5th] and every following 4th row until 32 [36] sts. remain.

Work 5 rows straight.

Divide for foot as follows:—

1st row—K.22 [25], turn. **2nd row**—P.12 [14], turn. **3rd row**—K.12 [14], turn.

Rep. 2nd and 3rd row 5 [6] times more, then 2nd row again.

Break yarn.

Rejoin yarn to inside edge where 10 [11] sts. were left, and **knit up** 12 [14] sts. along side of foot, K. across sts. on needle, **knit up** 12 [14] sts. along other side of foot, K. to end (56 [64] sts.).

K. 13 rows.

Shape foot as follows:—

1st row—(K.1, K.2 tog., K.22 [26], K.2 tog., K.1) twice.

2nd and 4th rows—K.

3rd row—(K.1, K.2 tog., K.20 [24], K. 2 tog., K.1) twice.

5th row—(K.1, K.2 tog., K.18 [22], K.2 tog., K.1) twice.

Cast off.

Press as for Sweater.

Join leg and foot seams. Press seams.

To welcome baby

a simple open-stitch border gives sweet airs and graces to a neat little jacket and matching bootees

COAT		
To fit chest	in.	19–20
Length at centre	in.	9½
Sleeve seam	in.	5
Patons Fairytale Quickerknit Courtelle/Bri-Nylon × 20 gram balls		4
BOOTEES		
Patons Fairytale Quickerknit Courtelle/Bri-Nylon × 20 gram balls		2

Two No. 10 and two No. 9 MILWARD needles.
2 buttons for Coat.

Tension
13 stitches and 17 rows to 2 in. measured over stocking stitch on No. 9 needles.

Notes, Tension and Abbreviations, page 2.

COAT

BACK AND FRONTS

(Knitted in one piece up to division for armholes.)

With No. 9 needles, cast on 139 sts. and K. 1 row.

Now work in **border patt.** as follows:—

1st to 4th row—K.

5th row—K.6, * y.fwd., K.2 tog., rep. from * to last 5 sts., K.5.

6th to 8th row—K.

9th row—K.

10th row—K.5, P. to last 5 sts., K.5.

11th and 12th rows—As 9th and 10th.

13th row—K.8, * y.fwd., sl.1, K.2 tog., p.s.s.o., y.fwd., K.3, rep. from * to last 5 sts., K.5.

14th row—As 10th row.

15th row—As 13th row.

16th row—As 10th row.

17th and 18th rows—As 9th and 10th.

19th to 26th row—As 1st to 8th.

Now rep. 9th and 10th rows until work measures 6 in., ending with a 9th row.

Divide for Back and Fronts as follows:—

Next row—K.5, P.29, cast off 4 sts., P. to last 38 sts., cast off 4 sts., P. to last 5 sts., K.5.

Continue on first group of 34 sts. for **Right Front** as follows:—

1st row—K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last 5 sts., K.5.

3rd to 12th row—As last 2 rows 5 times (28 sts.).

13th row—K.3, (K.2, K.2 tog.) 6 times, K.1 (22 sts.).

14th row—K.

15th row—K. to last 3 sts., K.2 tog., K.1.

16th row—K.

17th row—(Buttonhole row), K.1, K.2 tog., y.fwd., K.2, (y.fwd., K.2 tog.) 6 times, y.fwd., K.3 tog., K.1.

18th row—K.

19th and 20th rows—As 15th and 16th.

continued on page 38



Little love

an adorable little dress to crochet in contrasting openstitch

To fit chest	in.	19–20
Length from top of shoulders	in.	12½
Sleeve seam	in.	1½
Patons Fairytale Quickerknit Courtelle/Bri-Nylon × 20 gram balls		7

No. 4·50 mm (7) and No. 4·00 mm (8) MILWARD crochet hooks. 2 small buttons.

Tension
9 h.tr. and 7 rows measure 2 in. over pattern on No. 4·00 hook.

Special Abbreviations
Shell 1=1 h.tr. 1 tr. 1 d.tr. 1 tr. 1 h.tr. all in next ch. or ch. sp.; Shell 2=1 h.tr. 1 tr. 2 d.tr. 1 tr. 1 h.tr. all in next ch. sp.

Notes, Tension and Abbreviations, page 2.

Note
When working yoke patt. work into space between 2 h.tr. groups.

Note
Turning ch. counts as one stitch.

FRONT YOKE

With No. 4·00 hook, make 47 ch. **loosely.

Foundation row—(Right side), 1 h.tr. in 3rd ch. from hook, * miss 1 ch., 2 h.tr. in next ch., rep. from * to end.

Shape armholes as follows :—
1st row—2 ch., * miss 2 h.tr., 2 h.tr. in sp., rep. from * to last 2 sts., miss 1 st., 1 h.tr. in top of turning ch.

2nd to 7th row—2 ch., miss 3 sts., 2 h.tr. in sp., * miss 2 h.tr., 2 h.tr. in sp., rep. from * to last 3 sts., miss 2 sts., 1 h.tr. in turning ch. (16 groups of 2 h.tr.)

Work straight in **patt.** as follows :—
1st row—2 ch., 1 h.tr. in sp., * miss 2 h.tr., 2 h.tr. in next sp., rep. from *, ending 1 h.tr. in sp. between last 2 h.tr. and turning ch., 1 h.tr. in top of turning ch.

2nd row—As 1st row of armhole shaping. **

Rep. 1st row once more.

Front should now measure 3 in. (17 groups of 2 h.tr.).

Shape neck as follows :—

1st row—2 ch., (miss 2 h.tr., 2 h.tr. in sp.) 6 times, miss 2 h.tr., 1 h.tr. in next sp., turn.

Continue on this group for first side as follows :—

2nd row—2 ch., miss 3 sts., 2 h.tr. in next and every sp. to end, working 1 h.tr. in sp. between last 2 h.tr. and turning ch., 1 h.tr. in top of turning ch.

3rd row—2 ch., * miss 2 h.tr., 2 h.tr. in sp., rep. from * to last sp., 1 h.tr. in last sp., turn.

Rep. the last 2 rows once more.

Work 1 row straight in patt. Fasten off.

With **wrong** side facing, leaving 3 groups of h.tr. free at centre, rejoin yarn to next sp.

Next row—2 ch., * miss 2 h.tr., 2 h.tr. in next sp., rep. from * to last 2 sts., miss 1 st., 1 h.tr. in top of turning ch.

Complete to match first side, reversing shapings.

BACK YOKE

Work as Front Yoke from ** to **.

Continue straight in patt. until Back matches Front at armhole edge.

Fasten off.

SLEEVES

With No. 4·00 hook, make 24 ch. **loosely.**

1st row—1 d.c. in 2nd ch. from hook, then 1 d.c. in every ch. to end (23 sts.).

2nd and 3rd rows—1 ch., miss first st., 1 d.c. in every st. to end.

4th row—2 ch., 1 h.tr. in first st., 2 h.tr. in each of next 2 sts., * miss 1 st., 2 h.tr. in each of next 3 sts., rep. from * to end.

5th row—2 ch., * miss 2 h.tr., 2 h.tr. in sp., rep. from * to last 2 sts., miss 1 st., 1 h.tr. in top of turning ch.

6th row—2 ch., 1 h.tr. in sp., * miss 2 h.tr., 2 h.tr. in next sp., rep. from * to end. **7th row**—As 5th row.

Shape top

1st row—2 ch., miss 3 sts., 2 h.tr. in sp., * miss 2 h.tr., 2 h.tr. in next sp., rep. from * to last 3 sts., miss 2 sts., 1 h.tr. in turning ch. Rep. the last row 5 times more. Fasten off.

SKIRT

Join side edges of foundation row of Back and Front Yokes.

With right side facing and No. 4·50 hook, rejoin yarn to a side edge and work around edge of foundation ch. (92 ch.) as follows :—

S.s. into first ch., 2 ch., 1 tr. 1 d.tr. 1 tr. 1 h.tr. all in same st. as s.s., (miss 2 ch., Shell 1 in next ch.) 30 times, miss last st., join with s.s. to top of 2 ch.

Next round—4 ch., * 1 tr. in sp. before d.tr., 1 ch., 1 tr. in sp. after d.tr., miss 1 sp., 1 d.tr. in sp. between shells, rep. from * to last 5 sts., 1 tr. in sp. before d.tr., 1 ch., 1 tr. in sp. after d.tr., join with s.s. to top of 4 ch.

Next round—S.s. loosely into each of first 2 sps., 2 ch., 1 tr. 1 d.tr. 1 tr. 1 h.tr. all in same ch. sp. as s.s., (miss 2 sps., Shell 1 in next ch. sp.) 30 times, join with s.s. to top of 2 ch.

Rep. the last 2 rounds once more.

Next round—4 ch., * 1 tr. in sp. before d.tr., 2 ch., 1 tr. in sp. after d.tr., miss 1 sp., 1 d.tr. in sp. between shells, rep. from * to last 5 sts., 1 tr. in sp. before d.tr., 2 ch., 1 tr. in sp. after d.tr., join with s.s. to top of 4 ch.

Next round—S.s. loosely in each of first 2 sps., 2 ch., 1 tr. 2 d.tr. 1 tr. 1 h.tr. all in same ch. sp. as s.s., (miss 2 sps., Shell 2 in next ch. sp.) 30 times, join with s.s. to top of 2 ch.

Next round—4 ch., * 1 tr. 2 ch. 1 tr. in sp. between 2 d.tr., miss 2 sps., 1 d.tr. in sp. between Shells, rep. from * to last 6 sts., 1 tr. 2 ch. 1 tr. in sp. between 2 d.tr., join with s.s. to top of 4 ch.

Rep. the last 2 rounds until work measures 12½ in. from top of shoulders, ending with a Shell round.

Fasten off.

TO MAKE UP

Join right shoulder, side and sleeve seams.

EDGING

First mark the position for 2 buttonhole loops on left front shoulder.

With right side facing, and No. 4·00 hook, work in d.c. along front left shoulder, all round neck and along back left shoulder, turn and work 1 row more, working buttonhole loops to match markers on this row thus :— 2 ch., miss 2 d.c.

Fasten off.

Overlapping front left shoulder over back, insert Sleeves. Sew on buttons to correspond.

With yarn double and No. 4·00 hook, crochet a length of ch. 54 in. long.

Thread through foundation row of Yoke.

Make 2 small pompons and attach one to each end of cord.

Angel of delight

sweet and mod—a charming little style that's a real joy to knit

To fit chest	in.	18–19
Length from top of shoulders	in.	10½
Sleeve seam	in.	5½
Patons Fairytale Quickerknit Courtelle/Bri-Nylon × 20 gram balls		8

Two No. 11 and two No. 9 MILWARD needles.
4 buttons.

Tension
13 sts. and 17 rows to 2 in. measured over stocking stitch on No. 9 needles.

Notes, Tension and Abbreviations, page 2.

Patt. Tension
14 sts. and 24 rows to 2 in. on No. 9 needles.

Special Abbreviations
sl.5=yarn front leaving yarn loosely at front of work slip 5 sts. purlways, yarn back.

W.3=insert needle purlways into 3rd st. on left-hand needle and slip this st. over 1st and 2nd sts. and drop without knitting it, then K. 1st and 2nd sts.

K.B. = insert needle under 3 strands lying across front of work and K. next st., then slip strands over st. just worked.

BACK AND FRONTS

(Worked in one piece up to underarm.)

With No. 11 needles, cast on 231 sts. and P. 5 rows.

Next row—P.4, slip these sts. on a safety-pin for border, P. to last 4 sts., turn, slipping these sts. on a safety-pin (223 sts.).

Change to No. 9 needles and work in **patt.** as follows :—

1st row—K.1, * sl.5, W.3, rep. from * to last 6 sts., sl.5, K.1.

2nd row—P.7, * y.r.n., P.7, rep. from * to last 7 sts., y.r.n., P.7.

3rd row—K.1, * sl.5, K.3, rep. from * to last 6 sts., sl.5, K.1.

4th row—P.

5th and 6th rows—As 3rd and 4th.

7th row—K.1, * K.2, K.B., K.2, W.3, rep. from * to last 6 sts., K.2, K.B., K.3.

8th row—As 2nd row.

9th row—K.2, * W.3, sl.5, rep. from * to last 5 sts., W.3, K.2.

10th row—P.3, * y.r.n., P.7, rep. from * to last 3 sts., y.r.n., P.3.

11th row—K.5, * sl.5, K.3, rep. from * to last 2 sts., K.2.

12th row—P.

13th and 14th rows—As 11th and 12th.

15th row—K.2, * W.3, K.2, K.B., K.2, rep. from * to last 5 sts., W.3, K.2.

16th row—As 10th row.

These 16 rows form patt.

Rep. them 3 times more, then rows 1 to 7 again.

Next row—P.7, (y.r.n., P.7) 5 times, y.r.n., P.14, (y.r.n., P.7) 12 times, y.r.n., P.14, (y.r.n., P.7) 6 times (221 sts.).

Divide for armholes and work left side of **Back** as follows :—

Next row—K.2, (W.3, sl.5) 6 times, W.3, K.2, turn, leaving remaining sts. on a spare needle (48 sts.).

Work 15 rows straight.

Next row—P.

Next row—(P.1, P.2 tog.) 9 times, P.1, (P.2 tog.) 13 times, P.1 (33 sts.).

Break yarn.

Slip sts. on a spare needle.

With right side facing, rejoin yarn to sts. on spare needle and work **Front** as follows :—

Next row—K.2, (W.3, sl.5) 13 times, W.3, K.2, turn, leaving remaining sts. on a spare needle (97 sts.).

Work 15 rows straight.

Next row—P.

Next row—(P.1, P.2 tog.) 11 times, P.1, (P.2 tog.) 22 times, (P.1, P.2 tog.) 11 times (67 sts.).

Break yarn, slip sts. on a spare needle.

With right side facing, rejoin yarn to sts. on spare needle and work right side of **Back** as follows :—

Next row—K.2, (W.3, sl.5) 6 times, W.3, K.2.

Work 15 rows straight.

Next row—P.

Next row—P.1, (P.2 tog.) 13 times, (P.1, P.2 tog.) 9 times, P.1 (33 sts.).

Break yarn.

Slip sts. on a spare needle.

SLEEVES

With No. 11 needles, cast on 30 sts. and work 8 rows K.1, P.1 rib.

Next row—Rib 3, * work twice in next st., rep. from * to last 2 sts., rib 2 (55 sts.).

Change to No. 9 needles and work in **patt.** as follows :—

1st row—K.1, * sl.5, W.3, rep. from * to last 6 sts., sl.5, K.1.

2nd row—P.7, * y.r.n., P.7, rep. from * to end.

Keeping 1 st. at each end in stocking stitch continue in patt. until 56 patt. rows **in all** have been worked.

Place marker at each end of last row, then patt. a further 16 rows.

Next row—P.

Next row—* P.1, (P.2 tog.) twice, rep. from * to end (33 sts.).

Break yarn.

Leave sts. on a spare needle.

YOKE

With right side facing, rejoin yarn to left side of Back and with No. 9 needles, join pieces together as follows :—

Next row—P.33 sts. of Left Back, 33 sleeve sts., 67 front sts., 33 sleeve sts. and 33 sts. of Right Back (199 sts.).

****Next row**—P.

Work 1st to 8th patt. row as for main part.

P. 2 rows.**

Next row—P.3, * (P.2 tog., P.2) 11 times, P.2 tog., P.3, rep. from * 3 times more (151 sts.).

Rep. from ** to **.

Next row—P.2, (P.2 tog., P.1) 11 times, P.2 tog., P.2, (P.2 tog., P.1) 11 times, P.2 tog., P.3, (P.2 tog., P.1) 11 times, P.2 tog., P.2, (P.2 tog., P.1) 11 times, P.2 tog., P.2 (103 sts.).

Next row—P.

Work 1st to 8th patt. row as for main part. Break yarn.

BACK BORDERS

With No. 11 needles, rejoin yarn to 4 sts. on right side of Back and continue straight (working every row P.) until strip when slightly stretched, fits up back, making 3 buttonholes level with each of the 3 ridges on Yoke.

To make a buttonhole :— (**Wrong** side), P.1, P.2 tog., y.r.n., P.1.

Break yarn, slip sts. on a safety-pin, sew in position using a flat seam.

Work Left Border the same, omitting buttonholes, do not break yarn at end.

NECK BORDER

With No. 11 needles, continuing with yarn from Left Back Border, with right side facing, P. across sts. on main part, then P. 4 sts. of Right Border (111 sts.).

Next row—P.1, P.2 tog., y.r.n., P.2 tog., * P.2 tog., P.1, rep. from * to last 7 sts., (P.2 tog.) twice, P.3, (75 sts.).

P. 3 rows.

Cast off purlwise.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, and press lightly following instructions on the ball band, taking care not to flatten pattern.

Join sleeve seams up to markers.

Sew remaining sleeve seam to armhole edge of Backs and Front.

Press seams. Sew on buttons.

Tiny tank topper

knit it in two colours for a groovy baby—quick, easy and fun

To fit chest	in.	18	20	22
Length	in.	9½	10½	11½
Patons Fairytale 4 ply Courtelle/Bri-Nylon				
1st Contrast	×20 gram balls	1	2	2
2nd Contrast	×20 gram balls	1	2	2

Two No. 12 and two No. 10 MILWARD needles.
Three small buttons.

Tension
14 sts. and 18 rows to 2 in. measured over stocking stitch on No. 10 needles.

Notes, Tension and Abbreviations, page 2.

Note
Carry colour not in use loosely up side of work.

BACK
With No. 12 needles and 1st C., cast on 63 [71, 77] sts. and work in rib as follows:—
1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.
2nd row—* K.1, P.1, rep. from * to last st., K.1.
Work 10 [12, 14] more rows in rib inc. 1 st. at each end of last row (65 [73, 79] sts.).

Change to No. 10 needles, join in 2nd C. and work in **slip stitch patt.** as follows:—
1st row—In 2nd C., * keeping yarn at back of work sl.1P., K.1, rep. from * to last st., sl.1P.
2nd row—In 2nd C., P.
3rd row—In 2nd C., K.
4th row—In 2nd C., P.
5th and 6th rows—In 1st C., * K.1, y.ft., sl.1P., y.b., rep. from * to last st., K.1.
These 6 rows form patt.
Continue in patt. until Back measures 5 [5½, 6] in., ending with right side facing for next row.
Keeping continuity of patt., **shape armholes** by casting off 7 [8, 9] sts. at beg. of next 2 rows. **
Dec. 1 st. at each end of next and every following alt. row until 39 [45, 47] sts. remain.
Continue in patt. on these sts. until Back measures 9 [10, 11] in., ending with right side facing for next row.
Divide for neck as follows:—
Next row—Patt. 9 [11, 11], slip these sts. on a safety-pin, cast off centre 21 [23, 25] sts., patt. to end.
Work ½ in. in patt. on this group of sts., ending with right side facing for next row. Cast off.
With **wrong** side facing, rejoin yarns to remaining 9 [11, 11] sts. and complete as first side.

FRONT
Work as Back to **.
Divide for neck as follows:—
Next row—K.2 tog., patt. 23 [26, 28], slip these 24 [27, 29] sts. on a spare needle, cast off next st., patt. to last 2 sts., K.2 tog.
Continue in patt. on this group of sts. as follows:—
Next row—In patt.
Next row—K.2 tog., patt. to last 2 sts., K.2 tog.
Continue in patt. dec. 1 st. at armhole edge on every alt. row, **at the same time** dec. 1 st. at neck edge on every following 4th row until 16 [19, 20] sts. remain.
Keeping armhole edge straight, continue dec. at neck edge on every 4th row from previous dec. until 9 [11, 11] sts. remain.
Continue on these sts. until Front matches Back at armhole edge.
Cast off.
Rejoin yarns to remaining sts. and complete to match first half, reversing shapings.

FRONT NECK EDGINGS (2)
With No. 12 needles and 1st C., cast on 5 sts.
Work in moss stitch (every row * K.1, P.1, rep. from * to last st., K.1) until sufficient has been worked to fit half of front neck edge. Cast off.

BACK NECK EDGING
With No. 12 needles and 1st C., cast on 21 [23, 25] sts.
Work 6 rows in moss-stitch. Cast off.

ARMHOLE EDGING
Work as Front Neck Edging until sufficient has been worked to fit round each armhole.

TO MAKE UP
With wrong side of work facing, block each piece by pinning out round edges, and omitting ribbing, press lightly, following instructions on the ball band. Join side seams. Stitch Edgings into position as in photograph. Join right shoulder.
Work 3 buttonloops on front left shoulder in 1st C. Press seams. Sew on buttons.

Matinee Coat and Bootees

continued from page 31

21st to 26th row—As 1st and 2nd rows 3 times.

27th row—As 1st row.

28th to 30th row—As 14th to 16th.

31st row—K.1, K.2 tog., y.fwd., K.2, (y.fwd., K.2 tog.) 3 times, y.fwd., K.3 tog.

32nd and 33rd rows—As 14th and 15th.

Cast off remaining 12 sts.

With right side facing, rejoin yarn to group of 63 sts. for **Back** and work as follows:—

1st row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last st., K.1.

3rd to 12th row—As 1st and 2nd rows 5 times.

13th row—K.1, K.2 tog.t.b.l., K.3, (K.2 tog., K.2) 10 times, K.2, K.2 tog., K.1 (39 sts.).

14th row—K. **15th row**—As 1st row. **16th row**—K. **17th row**—K.1, K.2 tog.t.b.l., * y.fwd., K.2 tog., rep. from * to last 4 sts., y.fwd., K.3 tog., K.1. **18th row**—K.

19th and 20th rows—As 15th and 16th.

21st to 26th row—As 1st and 2nd rows 3 times.

27th row—As 1st row.

28th to 33rd row—As 14th to 19th.

Cast off remaining 19 sts.

With right side facing, rejoin yarn to remaining 34 sts. for **Left Front** and work as follows:—

1st row—K.1, K.2 tog.t.b.l., K. to end.

2nd row—K.5, P. to last st., K.1.

3rd to 12th row—As 1st and 2nd rows 5 times (28 sts.).

13th row—K.1, (K.2 tog.t.b.l., K.2) 6 times, K.3 (22 sts.).

14th row—K.

15th row—K.1, K.2 tog.t.b.l., K. to end.

16th row—K.

17th row—K.1, K.2 tog.t.b.l., (y.fwd., K.2 tog.) 6 times, K.6.

18th row—K.



19th and 20th rows—As 15th and 16th.

21st to 26th row—As 1st and 2nd rows 3 times.

27th row—As 1st row.

28th to 33rd row—As rows 14 to 19, but **noting** that 31st row will read, K.1, K.2 tog.t.b.l., (y.fwd., K.2 tog.) 3 times, K.5.

Cast off remaining 12 sts.

SLEEVES

With No. 9 needles, cast on 28 sts. K. 10 rows.

Next row—(Inc. in next st., K.3) 7 times (35 sts.).

Change to stocking stitch, starting with a K. row and inc. 1 st. at each end of 3rd and every following 7th row until there are 43 sts.

Continue on these sts. until sleeve seam measures 5 in., ending with right side facing for next row.

Shape raglan by casting off 2 sts. at beg. of next 2 rows.

Work 1st and 2nd rows of raglan shaping as on Back 6 times, then 1st row again (25 sts.).

14th to 33rd row—As on Back.

Cast off remaining 5 sts.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges, and press lightly following instructions on the ball band.

Using a flat seam, join sleeve seams and raglan shapings. Press seams.

Sew on buttons.

BOOTEES

With No. 10 needles, cast on 33 sts. and K. 1 row.

1st to 4th row—K.

5th row—K.1, (y.fwd., K.2 tog) 16 times.

6th to 8th row—K.

9th row—K.

10th row—K.1, P. to last st., K.1.

11th to 20th row—As 1st to 10th. Rep. the last 2 rows 4 times more.

Next row—As 5th row.

Next row—As 10th row.

Next row—K.23, turn.

Next row—K1, P.11, K.1.

Work 14 rows in stocking stitch on these 13 sts.

Break off yarn.

Rejoin yarn to inside edge of 10 sts., then **knit up** 10 sts. along side of foot, K. across 13 sts. on needle, **knit up** 10 sts. from other side of foot, finally K. across remaining 10 sts. (53 sts.). K. 9 rows.

Shape toe

1st row—(K.1, K.2 tog., K.21, K.2 tog.) twice, K.1.

2nd row—K.1, K.2 tog., K. to last 3 sts., K.2 tog., K1.

3rd row—(K.1, K.2 tog., K.18, K.2 tog.) twice, K.1.

4th row—As 2nd row. Cast off.

TO MAKE UP

Press lightly on wrong side following instructions on the ball bands.

Join seam.

Using 2 lengths of yarn 40 in. long make a twisted cord and thread through holes at ankle.

Sew a tassel to each end of cord.

Press seams.

Crochet Pram Cover

continued from page 24

TO MAKE UP

Using L., join Motifs by stitching centre sts. of each Motif together and make 6 rows of 4 Motifs.

Work 15 small Motifs to fill spaces formed by larger Motifs and join together as follows:—

With No. 3·50 hook and D. 4 ply, make 8 ch. loosely, join with s.s. in first ch. to form a ring.

1st round—6 ch., (1 tr., 3 ch.) 7 times into ring, join with s.s. to 3rd of 6 ch. Break D. Join in M.



2nd round—In M., s.s. in first sp., 3 ch., 2 tr. in same sp., (s.s. inserting hook from right side of large Motif into centre tr. of 3 tr. on large Motif, 3 tr. in next ch. sp. of small Motif) 7 times, insert hook into centre tr. of last petal, **at the same time** insert hook into top of 3 ch., join with s.s.

Fasten off.

Work 14 more in the same way.

With right side facing, No. 4·50 hook and M. Double Crepe, work 1 round of d.c. around scalloped edge of Cover.

Do not press.

Cut material slightly smaller than finished Cover to fit all round scalloped edges.

Turn in edges and catch down all round scallops inside d.c. border.

CROCHET is easy!

No one need be frightened of **Crochet:** *it is so easy to do, and once you have got going after a little practise, you will want to make all sorts of things for yourself and family, and the home.*

The yarn runs from ball round little finger and over first 2 fingers, and the work is held in your left hand between 1st finger and thumb: diag. 1.

* * *

To start: make a slip loop, several inches from end of yarn, and slip on hook (this loop counts as your first chain).

Continue making the length of chain stitches you require, i.e. catch yarn with the hook and pull it through loop already on hook: diag. 2.

This is the **basic step** of Crochet and you can master it in a few minutes. It is best to practise with a fairly thick hook and yarn (about hook No. 4·00 mm (8) and Double Knitting).

* * *

For your next row, work a **Single Crochet** (or Slip Stitch) through each loop of length of chain, i.e. pull thread through next loop of chain then through loop on hook: diag. 3. (this leaves one loop on hook).

This is **Single Crochet** and articles can be made in this stitch. **Note:** in crochet, the work always hangs by one loop on the hook.

1. HOLDING WORK



2. CHAIN



3. SINGLE CROCHET

After the first row worked into the foundation length of chain, you will be working into the stitches of previous row.

All crochet stitches are developments of **Single Crochet,** making a longer stitch at each stage.

After **Single Crochet,** the next stage is **Double Crochet:** this is simply Single Crochet with a 2nd loop pulled through to give a longer stitch, i.e. draw a loop through next chain or stitch (2 loops on hook), now draw a loop through both loops on hook: diag. 4. (this leaves one loop on hook).

4. DOUBLE CROCHET



5. TREBLE

6. DOUBLE TREBLE

Half Treble (not illustrated) is only a longer Double Crochet – yarn over hook, draw a loop through next stitch (3 loops on hook), draw a loop through 3 loops.

For **Treble,** yarn over hook, draw a loop through next stitch, draw a loop through first two loops on hook, then draw another loop through 2 remaining loops.

Double (or long) Treble – yarn twice round hook, draw a loop through next stitch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops then draw a loop through remaining loops (1 loop left on hook).

* * *

Shapings in Crochet – instructions for Increasing and Decreasing are always given in the pattern. As a general rule, **to Increase** – work 2 stitches into one stitch, or 2 patterns into one space in fancy patterns.

To Decrease – you miss a stitch (or pattern) as stated in the instructions, e.g. miss out a complete pattern and work into the next stitch (the gap is usually crossed with 1, or more slip sts.).

Practise all these **Basic Stitches** until you have grasped the very simple principles of Crochet. At first, beginners have difficulty with beginning and ending rows, but the pattern you are following will give instructions for these.

The rule is broadly that you miss the 1st stitch (last stitch of previous row), and work over this as instructed. At the row ends, you turn with 1 or 2 chain as instructed, and this turning ch. usually counts as the 1st stitch of next row.

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWINS LIMITED

Made and printed in Great Britain by Lund Humphries, Bradford and London

20627

PATONS

BABY SCENE